



BYDI ASTA

创新C型平台式
螺杆家用电梯

BYDI ASTA
Innovative C-shaped Platform
Screw Homelift




BYDI ASTA

HA

创新C型平台 小尺寸，大空间

BYDI亨世达HA系列螺杆式家用电梯

- 极限尺寸，设备最小宽度仅840mm；
- 艺术家款高端背景墙，镜面设计，增大视觉空间；
- 平台内置人性化金属扶手，高端精致；
- 多达19个标准尺寸，灵活可选。



Small size & large space born for the ultimate 更高标准造就更高品质!

6 头
螺纹螺杆


30年
就设计使用寿命

0
坠梯风险

UPS
24小时“超长待机”

Drive Mode	Screw-nut mother drive control
Control System	SSID Control System intelligent control system
Door Lock System	Electronic and mechanical safety interlock
Silent Brake System	SSG Brake System silent brake new generation drive
Hydraulic Drive Guide Rail	Silent operation, no slipping
Automatic Lubrication System	Continuous lubrication, extend the service life of core components
Wireless Emergency Call	Can store 3 emergency contact numbers, one-key dialing
Automatic Leveling in Power Failure	Dual protection (storage battery + mechanical handle)
Touch - type External Call	Precise control, easy to operate
Built - in Functions	SAPS safety system, ID card reader, BASS battery monitoring system, OLP overload protection, UPS backup power for emergency power failure, etc.
Emergency Brake Button	Electronic and mechanical safety interlock
Control Panel	Respond to all emergency situations
Platform Safety Edge	Touch panel, precise control, easy to operate
Running Speed	Touch emergency stop
Shaft Profile	Standard: 0.15m/s Optional: 0.3m/s
Shaft Glass	Adopt high standard (6005 - T5) aviation grade aluminum profile
Sustainability	Use double-layer laminated explosion-proof tempered glass (5mm+0.76mm+5mm) products
Technical Standards	95% of products can be recycled
Technical Standards	Refer to European standard EN81 - 4, European Machinery Directive 2006/42/EC

整梯颜色同样支持多色定制



交通白 橡木黑 雅致金 自然灰 绅士棕 古典铜 松石绿 优雅红



定制艺术背景墙



1cm窄边框 极致追求



机械按键 金属扶手



开门方式

默认|单开门
选配|双开门



提升速度

默认|0.15米秒
选配|0.3米秒



呼梯

默认|自动呼梯
选配|指纹呼梯



背景墙

默认|标配背景墙
选配|可支持定制

















井道

玻璃井道
钢板井道



HA电梯尺寸图 W × Dmm

19 flexible size options

HA900	预留深度: 1173mm / AC面门尺寸: 660mm		预留深度: 1313mm / AC面门尺寸: 800mm		预留深度: 1413mm / AC面门尺寸: 900mm	
预留宽度: 870mm B面门尺寸: 628mm 全球最小款 HA900-S 平台尺寸: 787*600mm 预留尺寸: 870*930mm 额定载重: 150kg 1~2人	 平台尺寸: 787*830mm 预留尺寸: 870*1173mm 额定载重: 250kg 2~3人		 平台尺寸: 787*970mm 预留尺寸: 870*1313mm 额定载重: 250kg 2~3人		 平台尺寸: 787*1070mm 预留尺寸: 870*1413mm 额定载重: 250kg 2~3人	
HA1000 预留宽度: 935mm B面门尺寸: 660mm	 平台尺寸: 852*830mm 预留尺寸: 935*1173mm 额定载重: 250kg 2~3人		 平台尺寸: 852*970mm 预留尺寸: 935*1313mm 额定载重: 250kg 2~3人		 平台尺寸: 852*1070mm 预留尺寸: 935*1413mm 额定载重: 400kg 5~6人	
HA1100 预留宽度: 1075mm B面门尺寸: 800mm	 平台尺寸: 992*830mm 预留尺寸: 1075*1173mm 额定载重: 250kg 2~3人		 平台尺寸: 992*970mm 预留尺寸: 1075*1313mm 额定载重: 400kg 5~6人		 平台尺寸: 992*1070mm 预留尺寸: 1075*1413mm 额定载重: 400kg 5~6人	
HA1200 预留宽度: 1175mm B面门尺寸: 900mm	 平台尺寸: 1092*830mm 预留尺寸: 1175*1173mm 额定载重: 400kg 5~6人		 平台尺寸: 1092*970mm 预留尺寸: 1175*1313mm 额定载重: 400kg 5~6人		 平台尺寸: 1092*1070mm 预留尺寸: 1175*1413mm 额定载重: 400kg 5~6人	
HA1300 预留宽度: 1295mm B面门尺寸: 900mm	 平台尺寸: 1212*830mm 预留尺寸: 1295*1173mm 额定载重: 400kg 5~6人		 平台尺寸: 1212*970mm 预留尺寸: 1295*1313mm 额定载重: 400kg 5~6人		 平台尺寸: 1212*1070mm 预留尺寸: 1295*1413mm 额定载重: 400kg 5~6人	
HA1400 预留宽度: 1395mm B面门尺寸: 900mm	HA1400-S  平台尺寸: 1312*830mm 预留尺寸: 1395*1173mm 额定载重: 400kg 5~6人		 平台尺寸: 1312*970mm 预留尺寸: 1395*1313mm 额定载重: 400kg 5~6人		 平台尺寸: 1312*1070mm 预留尺寸: 1395*1413mm 额定载重: 400kg 5~6人	