

服务热线
Service hotline

400-0888-169

XZKC®
站着都是享受
STANDING IS ALL ABOUT ENJOYING

广东西子电梯有限公司

GUANGDONG XIZI ELEVATOR CO., LTD

地址：广东省肇庆市广宁县高新产业园二期49号

Add: No. 49 Guangning County High & New Tech Industrial Zone Second Phase,
Zhaoqing City, Guangdong Province, China

网址/Web: www.xzkclift.com

本印刷品仅供参考。本公司有权随时更改产品设计和规格。
本印刷品所载信息就产品及其特殊用途之适用性、适销性、品质或任何采购协议条款不构成任何明示或暗示的担保或承诺。
The printed products are for reference only, the company has the right to change the designs and specifications of the products at any time.
the information contained in the printed products does not constitute any express or implied guarantees or commitments for the products and its
applicability, merchantability, and quality of special purposes, or any terms of procurement agreement.

2024.10版



扫描二维码
关注广东西子电梯



服务热线 0757-13511315781

XZKC®
广东西子电梯



时光凝聚光华 品质成就荣耀

Time flies brilliantly
Quality fulfills glories

企业简介 About us

- 01-02 荣誉资质
Glory qualifications
- 03-04 合作伙伴
Partners
- 05-06 发展历程
Developing procedures
- 07-08 功能配置
Function configuration

产品分类 Product system


- 09-10 乘客/别墅电梯系列
Passenger / Villa elevator series
- 11-12 井道配置
Hoistway configuration
- 13-30 轿厢装潢
Car decoration
- 31-32 观光电梯系列
Sightseeing elevator series
- 33-34 医用电梯系列
Hospital elevator series
- 35-38 加装电梯系列
Install elevator series
- 39-42 载货电梯系列
Freight elevator series
- 43-44 杂物电梯
Utility elevator
- 45-48 厅门系列
Hall door series
- 49-50 自动扶梯 / 自动人行道
Escalator / Moving walk

施工土建 Construction

- 51-56 土建布置
Construction layout

营销网络 Sales network

- 57-60 经典案例
Classical examples
- 61-62 营销网络
Sales network



合作伙伴

Partners

国企

State-owned enterprise



中国运载火箭技术研究院



招商局集团有限公司



中国中钢集团有限公司



中国人寿保险股份有限公司



贵州金晟实业集团有限公司



中国农业银行股份有限公司
重庆大渡口支行



广宁环保局



北京首华物业管理有限公司



中国税务
东莞茶山地税局



沿河土家族自治县水务局



贵州建工集团第五建筑工程有限公司



人民武装部
诏安武装部

中国500强/上市企业

Top 500 companies in China/listed companies



山西宏达钢铁有限公司



河北津西钢铁集团股份有限公司



润天智数字设备有限公司



朗姿股份有限公司



云南玉溪玉昆钢铁集团有限公司



鸿兴印刷(中国)有限公司 香港上市企业



唐山东华钢铁企业集团有限公司



广东海力储存设备股份有限公司



广东康德威电气股份有限公司



龙湖集团控股有限公司

酒店

Hotels



重庆希尔顿酒店



希尔顿欢朋酒店



名都集团



如家酒店



乐山开元酒店

...

发展历程

Developing procedures

2010

正式成立广东西子电梯有限公司。

It formally establishes Guangdong Xizi Elevator Co., Ltd.



2012

广东西子电梯试验塔落成，公司更新现有工厂全面竣工投产，企业规模实现进一步扩张。

Guangdong Xizi Elevator Test Tower has been completed. It renews current factory. It is comprehensively thrown into production. It further expands the business scale.



2015

获得“高新技术企业”、“绿色环保节能产品”、“质量服务·诚信AAA级企业”、“全国消费者放心满意品牌”等荣誉称号。

It has been appraised the glory titles such as "High & New Tech Enterprise", "Green Environmental Protection Energy-Saving Products", "Quality Service·AAA Credit Enterprise", "The National Consumers' Trustworthy & Satisfactory Brand" etc.



2018

实现全国300多个大中型城市销售服务网点分布，分别在深圳、香港、北京、西藏等省市。

Sales service networks are wide-spreading in over 300 domestic big and medium cities. They are respectively in Shenzhen, Hongkong, Beijing, Tibet etc.



2020

推出智能乘梯解决方案，为人们出行创造更安全、更健康的乘梯空间。

It puts out intellectual travel solution plans. It provides the people's travel with a more secure and healthy space.



2023

智慧工厂投入生产，为全球电梯持续提供高品质产品和专业技术服务。

Smart factory is thrown into production. It sustainably provides global elevators with high quality products and professional technical services.



Future

2011

取得A级特种设备制造许可和安装、维修、改造许可资质。

It gets Class-A Special Equipment Manufacture License, Installation; Repair & Transformation License Qualifications.



2013

先后取得ISO9001质量管理体系认证证书、ISO14001环境管理体系认证证书、ISO45001职业健康安全管理体系认证证书，产品安装服务获得国家和业界的一致认可。

It has successively got ISO9001 Quality Supervision System Authentication Certificate, ISO14001 Environmental Management System Authentication Certificate, ISO45001 Occupational Health Safety Management System Authentication Certificate. Product installation service is well-received by China and the elevator industry.

2017

被评为“广东省守合同重信用企业”。

It has been appraised as "The Enterprise That Keeps the Promises & Values the Contracts in Guangdong Province".

2019

成功开拓海外市场，产品遍布于缅甸、新加坡、肯尼亚、巴西等国家。


It successfully explores overseas markets. The products are wide-spreading in Burma, Singapore, Kenya, Brazil etc.



2021

公司进行智能化升级，打造智慧工厂。

It goes the intellectual upgrading. It creates a smart factory.



智能科技 畅享高效生活

Smart technology
let's fully enjoy an effective life

01

智能救援功能 Intellectual rescue function

双保护回路，相当于汽车有备胎，如果发生一般性故障困人，自动把被困人员放出。


Double-protection loop is equal to spare wheel to car. If it goes wrong and traps any passenger, it automatically releases the trapped passenger.

02

钢丝绳断丝断股预警功能 Pre-warning function to broken wire rope

如果钢丝绳断丝超标或断股、电梯会自动就近平层，开门放人，并语音提示“请通知维修工检查钢丝绳”，预防发生危险。

If wire rope is broken or over-standard, elevator automatically makes nearby leveling. It opens and releases the passenger. It gives voice prompt, "please notify the repairer to check wire rope". It prevents from any danger.



配置对比表

Configuration comparison table

● 标配 Standard ○ 选配 Optional

序 Preface	功能说明 Functional description	舒适版 Cozy travel	高科版 High-tech
1	钢丝绳断丝断股预警功能： 如果钢丝绳断丝超标或断股、电梯会自动就近平层，开门放人，并语音提示“请通知维修工检查钢丝绳”，避免困人以及造成不必要的损失，预防发生危险。 Pre-warning function of broken wire rope: If wire rope is over-standard or broken, elevator automatically makes nearby leveling. It opens and releases the passengers. It gives voice prompt, "please notify the repairer to check the wire rope". It thus avoids any necessary loss caused by trapping the passengers. It takes precaution measures to any hidden danger.	○	●
2	智能脱困功能： 双保护回路，相当于汽车有备胎，如发生一般性故障困人，会自动把被困人员放出。 Smart rescue function: Double-protection loop is like a spare tyre to an automobile. If elevator gets some common trouble and traps any passengers, it will automatically release the trapped passengers.	○	●
3	停电自动救援装置： 配置锂电池，使用寿命更长，可靠性更高。 Automatic rescue device upon power failure: It gets lithium batteries with the longer service life and the higher reliability.	○	○
4	合金钢减震器： 提升乘坐舒适感，更平顺，更静音，并且经久耐用。 Alloy steel shock-absorber: It enhances the cozy travel. It runs more mute, durable and smoothly.	●	●
5	轿厢内液晶屏： 人机界面(7寸) Liquid crystal screen in elevator car: Man-machine interface (7-inch)	●	●
6	主体结构质保期： (轿厢架、导轨、主机架、对重框、承重梁等) Quality warranty period of main-body structure: (Car frame, guide-rail, counterweight frame, load-bearing beam etc.)	30年 30year	30年 30year
7	钢丝绳伸长急停前预警功能： 如果钢丝绳伸长、在安全回路断开前会提前预警、避免困人事故。 Pre-warning function before wire rope elongation emergency-stop: It pre-alarms before safety loop disconnects due to wire rope elongation. It thus prevents from trapping any passengers.	○	○
8	运动模式功能： 类似汽车的运动模式，舒适模式和运动模式乘客可自由切换。建议写字楼或乘客较多的场景选配。 Running mode function: It is like the running mode of automobiles. Passengers can freely convert from cozy travel mode to running mode. It is mostly applicable for office building or scenes with more and more passengers.	○	○
9	无槽地坎： 不卡垃圾，运行平稳，限别墅梯用。 Groove-less sill: It travels smoothly without any junk. It is applicable for villa elevators.	○	○
10	节能储存装置： 电梯运行时，储存动能，整台电梯只需220V市电补充即可，节能30%，完全断电后还能快车运行2小时。 Energy-saving storage device: Elevator stores dynamic potentials in running. The whole set of elevator only needs 220V electricity supply. It saves 30% of energy. After it is disconnected completely, it can still quickly travel for 2 hours.	○	○
11	太阳能电梯： 有阳光照射时不需市电，晚上及阴天，整台电梯只需220V市电补充即可，节能60%。 Solar energy elevator: It needs no electricity supply in sunshine. In the evenings and cloudy days, the whole set of elevator only needs 220V electricity supply. It saves 60% of energy.	○	○
12	自动消毒功能 Automatic sterilizing function	○	○
13	中文控制系统： 使用方便，维护简单，一般技术人员都能知道电梯状态，减少不必要的后期开支。 Chinese control system: It is easy in use and simple in maintenance. Common technicians know about the elevator conditions. It thus reduces any unnecessary later expense.	●	●
14	预留主板升级接口： 升级方便，确保功能不过时 Preset main-board update interface: Convenient update ensures that functions are not out-dated.	●	●
15	保养提示功能： 当电梯需要保养时，电梯会语音提示保养周期已到，维保管理更轻松！也避免因未及时保养造成损失。 Maintenance prompt function: Elevator gives voice prompt when it needs the maintenance. It is easier for repair & maintenance management. It also avoids any loss for it is not maintained in time.	●	●
16	故障语音提示功能： 如果电梯出现了故障，电梯会语音提示它哪里有问题，这样既可以让用户清楚原因，也让维修变得更简单，提高工作效率！ Trouble voice prompt function: If elevator goes wrong, it gives voice prompt for where it goes wrong. Therefore users know the cause. It is easier for repair. It thus enhances the work efficiency.	●	●
17	使用提示功能： 当乘客使用不当时，会语音告诉乘客如何正确使用电梯，避免因使用不当造成电梯故障或损坏，减少不必要的开支，也减少了管理工作。 Use prompt function: If passengers use improperly, it gives voice prompt about how to use the elevator correctly. It prevents from any elevator trouble or damage due to improper use. It reduces any unnecessary expense. It also cuts down the management tasks.	●	●
18	智能防捣乱功能： 语音提示小朋友不要乱呼电梯，如乱呼2层，会自动取消所有登记。 Smart anti-nuisance function: It gives voice prompt to the children for making wrong callings. If the child makes the wrong calling twice, it automatically cancels all the registers.	●	●
19	双抱闸（刹车）： 更可靠，更安全。 Double-braking (braking) is more secure and reliable.	●	●
20	刹车自动检测功能： 电梯自己会检测刹车有没有问题，不只依赖于维保人员的责任心，保障电梯不会打滑。 Automatic braking-detection function: Elevator detects whether braking is OK or not. It does not merely rely on the sense of responsibility from repairers. It ensures that elevator does not skid.	●	●
21	门锁装置自动检测： 每次运行电梯自己会检测门锁装置有没有问题，避免开着门运行发生危险。 Automatic detection of door-lock device: In every running, elevator detects whether door-locking device is OK or not. It prevents from any door-running danger.	●	●
22	意外移动保护功能： 此功能简单讲就是不应该运行的时候如果发生了移动，就会触发制停装置制停电梯。 Protection function against accidental movement: Simply speaking, if elevator moves in running, it triggers the braking device and stops the elevator. Professionally speaking, accidental movement is eliminated through united protection by protection panel against accidental movement, leveling device, door-locking device, braking, wire rope clamp etc.	●	●
23	超速保护功能： 如果电梯超速15%，限速器会立即动作、断开安全回路、同时联动安全钳强制制停电梯，杜绝电梯坠落！ Over-speed protection function: If elevator is 15% over-speed, speed governor immediately acts to disconnect the safety loop. Meanwhile, with safety tongs linkage, it forcibly brakes the elevator, it prevents the elevator from falling down.	●	●
24	关门防夹功能： 当电梯关门受阻时会重新开门关门有效保护被夹物体。 Door-closing anti-clamp function: If closing is blocked, it re-opens and closes to effectively protect the clamped object.	●	●
25	开门待机功能： 电梯里面不会闷热，省安装电梯空调的钱。 Opening stand-by function: It is not stuffy inside the elevator. It thus saves the money to install the elevator air-conditioner.	免费升级 Free update	
26	通用参数： 部件技术参数与中国市场相符，不垄断，后期使用成本较低。 General parameters: Parts' technical parameters accord with that in China markets without monopoly. It is low for later use cost.	●	●
27	闭环售后服务： 公司每季度回访用户需求，形成闭环管理，长期提供维修保养服务。 Closed-loop after-sale service: It forms closed-loop management by seasonable tour-visit to users' requirements. It offers long-term repair and maintenance service.	●	●
28	常规所有保护： 安全钳保护、限位保护、超载保护、缓冲器保护、过热保护、过流保护、过载保护..... (满足国标所有要求) Regular protections: Safety tongs protection, limit protection, over-load protection, buffer protection, over-heat protection, over-current protection, overload protection etc. (It satisfies all of the international standard requirements.)	●	●
29	常规所有功能： 自动运行、司机运行、消防运行、检修运行、紧急电动运行..... Regular functions: Automatic running, attendant running, fire-fighting running, inspection running, emergency electric running etc.	●	●



乘客电梯系列

Passenger elevator series

小机房乘客电梯

Small machine room passenger elevator

独特的小机房设计，采用紧凑密集型永磁同步无齿轮曳引机与特殊设计的控制柜。合理的土建布局实现机房面积与井道的一致大小，降低机房高度，节省建筑空间，拓展建筑物更大空间利用率，使楼宇优雅美观。

Unique small machine room design, using compact dense permanent magnet synchronous gearless traction machine and special design of control cabinet. Reasonable civil engineering layout can achieve the same size of machine room area and shaft, reduce the height of machine room, save building space, expand the utilization rate of building space, and make the building elegant and beautiful.

无机房乘客电梯

Machine roomless passenger elevator

广东西子无机房乘客电梯解除电梯对于建筑、建筑成本、建筑设计风格和使用范围的制约，在节约空间和节约成本的同时，为乘客带来上层智者的高效与稳健。

XZKC machine room-less elevator series resolves the restriction to the elevator in the construction, building cost, building design style, use range. At the same time of saving the space and cost, it provides the passengers with upper level intellectual, effective and stable travel.



别墅电梯系列

Villa elevator series

完美生活，舒适惬意

The perfect and comfortable life

别墅电梯能让您尽情享受安逸。专用的变频系统精确控制电梯的运行状态，多方位提升舒适体验。噪音小，安装方便，成就您美妙的居家环境。不仅节省了机房设计建造费用，更使您的建筑得到充分利用，占用面积小、安全可靠，这都是广东西子为您想到的。

别墅电梯是复式和多层居家理想的实用又精致的电梯，也是老人、病人、残疾人居家最理想的上下层交通工具。

Villa elevator can let you enjoy the comfort. The special frequency conversion system precisely controls the elevator's running state and enhances the comfortable experience in various directions. Low noise, easy installation, your wonderful home environment. Not only save the design and construction cost of the machine room, but also make full use of your building, small footprint, safe and reliable, which will be XZKC for you to think of.

Villa elevator is duplex and multi-storey home ideal practical and delicate elevator, but also the elderly, the sick, the disabled home the most ideal upper and lower transport.

铝合金井架

Aluminum alloy well frame

井道兼容性

Small machine room passenger elevator




框架结构井道适用
Frame structure well applicable

封闭的砖混结构适用
Closed brick and concrete structure applies

可选颜色

Optional color



暖白
Warm White




香槟色
Champagne color



苹果金
Apple gold



黑金色
Black gold



空间定制全案服务专家


Tailor-made space solution plan service specialist

1 建筑预留井道 Reserved hoistway for buildings


以下5种楼房结构可安装我们的产品

②③④⑤场合需要加装电梯使用的井道，客户也可以根据自己喜好采用金属框架或混凝土等材料自建井道。


② ③ ④ ⑤ occasions need to install hoistways for elevators. Customers can also use metal frames or concrete and other materials to build hoistways according to their preferences.




2 环绕楼梯型 Circumferential stair type




3 中空大厅型 Hollow hall type



4 室内楼梯开孔 Indoor stair opening



5 楼外加装型 Re-installation type outside the building



乘客电梯标准配置

Passenger elevator
car decoration

出入平安

Go in and out safely



扫描二维码
720°了解轿厢



COP-08 WH-08

JX-001 标配 Standard

吊顶: DD-05 镜面不锈钢
Ceiling: DD-05 Mirror stainless steel

后壁中板: 镜面不锈钢
Rear-wall center-panel: Mirror stainless steel

侧壁中板: 镜面不锈钢
Side-wall center-panel: Mirror stainless steel

边板: 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel

地板: DB-008 PVC
Floor: DB-008 PVC

平步青云

Rise through the ranks



JX-002 选配 Optional

吊顶: DD-02 镜面不锈钢
Ceiling: DD-02 Mirror stainless steel

后壁中板: 发纹不锈钢
Rear-wall center-panel: Hairline stainless steel

侧壁中板: 发纹不锈钢
Side-wall center-panel: Hairline stainless steel

边板: 镜面不锈钢
Side-panel: Mirror stainless steel

前壁板: 镜面不锈钢
Front wall panel: Mirror stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel

地板: DB-S01 石塑耐磨地板
Floor: DB-S01 Stone plastic wear-resistant floor



扫描二维码
720°了解轿厢

乘客电梯标准配置

Passenger elevator
car decoration

极致简约

Ultimate Minimalism



TM001 DB001

SZ-J001 标配 Standard

吊顶：黑钛镜面不锈钢，亚克力灯饰，LED筒灯
Celcing: Black Titanium Mirror Finish Stainless Steel, Acrylic Lighting Fixtures, LED down lights

轿壁：黑钛镜面蚀刻不锈钢，发纹不锈钢，镜面不锈钢
Carwall: Black titanium miror etching stainless steel, hairline stainless steel, Mirror stainless steel

扶手：无
Handrail: None

地板：仿大理石PVC
Floor: Fake marble PVC

青云直上

Soar to the top



SZ-J002 标配 Standard

吊顶：喷粉钢板淡咖啡，亚克力灯饰，LED筒灯
Celcing: Light coffee powder-coated steel, Acrylic Lighting Fixtures, LED down lights

轿壁：黑钛镜面蚀刻不锈钢，发纹不锈钢，镜面不锈钢

Carwall: Black titanium miror etching stainless steel, hairline stainless steel, Mirror stainless steel

扶手：无
Handrail: None

地板：仿大理石PVC
Floor: Fake marble PVC

别墅电梯标准配置

Villa elevator
car decoration

万事如意

All the best



F7M3-TP1A

外呼LED显示
触摸按钮
Outbound LED display
Touch button



LCD-T10A

轿内10寸液晶显示
触摸按钮
Car inside 10 inch
LCD display
Touch button

JX-003 选配 Optional

吊顶: DD-03 镜面不锈钢
Ceiling: DD-03 Mirror stainless steel

后壁中板: 中国结 镜面蚀刻不锈钢
Rear-wall center-panel: China knot mirror
etched stainless steel

侧壁中板: 镜面不锈钢
Side-wall center-panel: Mirror stainless steel

边板: 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel


地板: DB-011 PVC
Floor: DB-011 PVC



扫描二维码
720°了解轿厢

吉星高照

The best luck is in the sky



JX-005 选配 Optional

吊顶: DD-01 镜面不锈钢
Ceiling: DD-01 Mirror stainless steel

后壁中板: 柚木纹 钢板
Rear-wall center-panel: Teak grain steel plate

侧壁中板: 柚木纹 钢板
Side-wall center-panel: Teak grain steel plate

边板: 镜面不锈钢
Side-panel: Mirror stainless steel

前壁板: 镜面不锈钢
Front wall panel: Mirror stainless steel

轿门: 镜面不锈钢
Car door: Mirror stainless steel

地板: DB-031 PVC
Floor: DB-031 PVC



扫描二维码
720°了解轿厢

轿厢装潢

Car decoration

招财进宝

Make money and gain treasure



JX-006 选配 Optional

吊顶: DD-09 镜面不锈钢
Ceiling: DD-09 Mirror stainless steel

后壁中板: 麒麟 黑钛蚀刻不锈钢
Rear-wall center-panel: Kirin black titanium etched stainless steel

侧壁中板: 镜面不锈钢
Side-wall center-panel: Mirror stainless steel

边板: 香槟金拉丝不锈钢
Side-panel: Champagne gold brushed stainless steel

前壁板: 香槟金拉丝不锈钢
Front wall panel: Champagne gold brushed stainless steel

轿门: 香槟金拉丝不锈钢
Car door: Champagne gold brushed stainless steel

地板: DB-025 PVC
Floor: DB-025 PVC



扫描二维码
720°了解轿厢

四季平安

Peace throughout the year



JX-007 选配 Optional

吊顶: DD-05 镜面不锈钢
Ceiling: DD-05 Mirror stainless steel

后壁中板: 竹 / 梅 镜面蚀刻不锈钢
Rear-wall center-panel: Bamboo/plum mirror etched stainless steel

侧壁中板: 镜面不锈钢
Side-wall center-panel: Mirror stainless steel

边板: 香槟金拉丝不锈钢
Side-panel: Champagne gold brushed stainless steel

前壁板: 香槟金拉丝不锈钢
Front wall panel: Champagne gold brushed stainless steel

轿门: 香槟金拉丝不锈钢
Car door: Champagne gold brushed stainless steel

地板: DB-008 PVC
Floor: DB-008 PVC



扫描二维码
720°了解轿厢

花开富贵

Rich and prosperous in flowers



JX-008 选配 Optional

吊顶: DD-08 镜面不锈钢
Ceiling: DD-08 Mirror stainless steel

后壁中板: 花 镜面蚀刻不锈钢
Rear-wall center-panel: Floral mirror etched stainless steel

侧壁中板: 镜面不锈钢
Side-wall center-panel: Mirror stainless steel

边板: 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel

地板: DB-025 PVC
Floor: DB-025 PVC



扫描二维码
720°了解轿厢

大家风范

Everyone's style



JX-009 选配 Optional

吊顶: DD-02 镜面不锈钢
Ceiling: DD-02 Mirror stainless steel

后壁中板: 大理石纹路板 暗藏灯带
Rear-wall center-panel: Marble grain board hidden light strip

侧壁中板: 发纹不锈钢
Side-wall center-panel: Hairline stainless steel

边板: 镜面不锈钢
Side-panel: Mirror stainless steel

前壁板: 镜面不锈钢
Front wall panel: Mirror stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel

地板: DB-020 PVC
Floor: DB-020 PVC



扫描二维码
720°了解轿厢

前程似锦

The future looks bright



JX-010 选配 Optional

吊顶: DD-10 镜面不锈钢 (轿厢宽度≥1.3米)
Ceiling: DD-10 Mirror stainless steel (Car width ≥ 1.3m)

后壁中板: 鸟 / 山 玫瑰金蚀刻不锈钢
Rear-wall center-panel: Bird/Mountain Rose gold etched stainless steel

侧壁中板: 玫瑰金拉丝不锈钢
Side-wall center-panel: Rose gold brushed stainless steel

边板: 镜面不锈钢
Side-panel: Mirror stainless steel

前壁板: 镜面不锈钢
Front wall panel: Mirror stainless steel

轿门: 镜面不锈钢
Car door: Mirror stainless steel

地板: DB-026 PVC
Floor: DB-026 PVC



扫描二维码
720°了解轿厢

福禄双全

Good fortune and good fortune



JX-011 选配 Optional

吊顶: DD-07 镜面不锈钢
Ceiling: DD-07 Mirror stainless steel

后壁中板: 福 古铜色蚀刻不锈钢
Rear-wall center-panel: Fogu bronze etched stainless steel

侧壁中板: 福 古铜色蚀刻不锈钢
Side-wall center-panel: Fogu bronze etched stainless steel

边板: 镜面不锈钢
Side-panel: Mirror stainless steel

前壁板: 镜面不锈钢
Front wall panel: Mirror stainless steel

轿门: 镜面不锈钢
Car door: Mirror stainless steel

地板: DB-022 PVC
Floor: DB-022 PVC



扫描二维码
720°了解轿厢

年年有余

Have a surplus every year



JX-012 选配 Optional

吊顶: DD-02 镜面不锈钢
Ceiling: DD-02 Mirror stainless steel

后壁中板: 鱼 香槟金镜面蚀刻不锈钢 + 镶嵌式灯带
Rear-wall center-panel: Fish Champagne gold mirror etched stainless steel + mosaic light belt

侧壁中板: 香槟金镜面不锈钢
Side-wall center-panel: Champagne gold mirror stainless steel

边板: 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel

地板: DB-029 PVC
Floor: DB-029 PVC



扫描二维码
720°了解轿厢

厚德载物

Be virtuous and dutiful



JX-013 选配 Optional

吊顶: DD-09 镜面不锈钢
Ceiling: DD-09 Mirror stainless steel

后壁中板: 艺术圈 镜面蚀刻不锈钢
Rear-wall center-panel: Art Circle mirror etched stainless steel

侧壁中板: 镜面不锈钢
Side-wall center-panel: Mirror stainless steel

边板: 镜面不锈钢(柚木纹 不锈钢)
Side-panel: Mirror stainless steel (teak grain stainless steel)

前壁板: 镜面不锈钢
Front wall panel: Mirror stainless steel

轿门: 镜面不锈钢
Car door: Mirror stainless steel

地板: DB-021 PVC
Floor: DB-021 PVC



扫描二维码
720°了解轿厢

合家欢乐

Happy family



JX-015 选配 Optional

吊顶: DD-01 镜面不锈钢
Ceiling: DD-01 Mirror stainless steel

后壁中板: 圆点 钛金镜面蚀刻不锈钢
Rear-wall center-panel: Polka-dot titanium mirror etching stainless steel

侧壁中板: 钛金镜面不锈钢
Side-wall center-panel: Titanium gold mirror stainless steel

边板: 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel


地板: DB-022 PVC
Floor: DB-022 PVC



扫描二维码
720°了解轿厢

财源广进

A wide range of financial resources



JX-016 选配 Optional

吊顶: DD-05 镜面不锈钢
Ceiling: DD-05 Mirror stainless steel

后壁中板: 拱门 钛金镜面蚀刻不锈钢
Rear-wall center-panel: Arch titanium mirror etched stainless steel

侧壁中板: 拱门 钛金镜面蚀刻不锈钢
Side-wall center-panel: Arch titanium mirror etched stainless steel

边板: 钛金镜面不锈钢
Side-panel: Titanium gold mirror stainless steel

前壁板: 钛金镜面不锈钢
Front wall panel: Titanium gold mirror stainless steel

轿门: 钛金镜面不锈钢
Car door: Titanium gold mirror stainless steel

地板: DB-021 PVC
Floor: DB-021 PVC



扫描二维码
720°了解轿厢

黑色典雅

Black Elegance



SZ-J015 选配 Optional

吊顶：黑钛镜面不锈钢，亚克力灯饰
Celing: Black Titanium Mirror Finish Stainless Steel, Acrylic Lighting Fixtures

轿壁：黑钛镜面蚀刻不锈钢，发纹不锈钢
Carwall: Black titanium mirror etching stainless steel, hairline stainless steel

扶手：无
Handrail: None.

地板：仿大理石
Car floor: Fake marble PVC

黑色魅力

Black Charm



SZ-J016 选配 Optional

吊顶：黑钛镜面不锈钢，亚克力灯饰,LED筒灯
Celing: Black Titanium Mirror Finish Stainless Steel, Acrylic Lighting Fixtures, LED down lights

轿壁：黑钛镜面蚀刻不锈钢，发纹不锈钢
Carwall: Black titanium mirror etching stainless steel, hairline stainless steel

扶手：不锈钢圆扶手
Handrail: Stainless steel round handrail

地板：仿大理石
Car floor: Fake marble PVC

黑色格调

Black Classy



SZ-J017 选配 Optional

吊顶：黑钛镜面不锈钢，暗藏灯带,LED筒灯
Celing: Black Titanium Mirror Finish Stainless Steel, Hidden Light Belt, LED down lights

轿壁：黑钛镜面蚀刻不锈钢，发纹不锈钢
Carwall: Black titanium mirror etching stainless steel, hairline stainless steel

扶手：无
Handrail: None

地板：仿大理石
Car floor: Fake marble PVC

流线银影

Streamline Silver Shadow



SZ-J011 选配 Optional

吊顶：发纹不锈钢，亚克力灯饰,LED筒灯
Celing: Hairline Stainless Steel, Acrylic Lighting Fixtures, LED down lights

轿壁：彩绘钢板，木纹化妆钢板，镜面不锈钢，灯带
Color-coated Steel Sheet, Wood Grain Coated Steel Sheet, Mirror Finish Stainless Steel, LED strip

扶手：无
Handrail: None

地板：仿大理石
Car floor: Fake marble PVC

福达云梯

Fortune Elevator



SZ-J004 选配 Optional

吊顶：镜面不锈钢，亚克力灯饰，LED筒灯
Celing: Mirror Finish Stainless Steel, Acrylic Lighting Fixtures

轿壁：镜面蚀刻不锈钢，发纹不锈钢
Carwall: Miror etching stainless steel,hairline stainless steel

扶手：无
Handrail: None

地板：仿大理石
Car floor: Fake marble PVC

瑞气盈门

Auspiciousness fills the doorway



SZ-J005 选配 Optional

吊顶：发纹不锈钢框架，亚克力灯饰，LED筒灯
Celing: Hairline stainless steel frame, Acrylic Lighting Fixtures

轿壁：镜面蚀刻不锈钢，发纹不锈钢
Carwall: Miror etching stainless steel,hairline stainless steel

扶手：发纹不锈钢扁扶手
Handrail: Hairline stainless steel flat handrail

地板：仿大理石
Car floor: Fake marble PVC

安居乐行

Peaceful living and safe travels



SZ-J006 选配 Optional

吊顶：发纹不锈钢框架，亚克力灯饰，LED筒灯
Celing: Hairline stainless steel frame, Acrylic Lighting Fixtures

轿壁：镜面蚀刻不锈钢，发纹不锈钢
Carwall: Miror etching stainless steel,hairline stainless steel

扶手：镜面不锈钢圆扶手
Handrail: Miror stainless steel round handrail

地板：仿大理石PVC
Car floor: Fake marble PVC

轿厢装潢

Car decoration

好运连连

Lucky streak



JX-017 选配 Optional

吊顶: DD-05 镜面不锈钢
Ceiling: DD-05 Mirror stainless steel

后壁中板: 荷花 黑钛蚀刻不锈钢
Rear-wall center-panel: Lotus black titanium etched stainless steel

侧壁中板: 黑钛镜面不锈钢
Side-wall center-panel: Black titanium mirror stainless steel

边板: 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel

地板: DB-S01 石塑耐磨地板
Floor: DB-S01 Stone plastic wear-resistant floor



扫描二维码
720°了解轿厢

福泰安康

Futai ankang



JX-018 选配 Optional

吊顶: 镜面不锈钢
Ceiling: Mirror stainless steel

后壁中板: 镜面不锈钢
Rear-wall center-panel: Mirror stainless steel

侧壁中板: 镜面不锈钢
Side-wall center-panel: Mirror stainless steel

边板: 木纹 钢板
Side-panel: Wood grain steel plate

前壁板: 木纹 钢板
Front wall panel: Wood grain steel plate

轿门: 镜面不锈钢
Car door: Mirror stainless steel

地板: DB-022 PVC
Floor: DB-022 PVC



扫描二维码
720°了解轿厢



XZ-G01

观光电梯轿厢装潢

Sightseeing elevator
car decoration



XZ-G01 标配 Standard

吊顶: DD-05 镜面不锈钢

Ceiling: DD-05 Mirror stainless steel

后壁板: 5 夹 5 钢化玻璃

Rear-wall panel: 5 clip 5 tempered glass

侧壁中板: 发纹不锈钢

Side-wall center-panel: Hairline stainless steel

边板: 发纹不锈钢

Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢

Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢

Car door: Hairline stainless steel

地板: DB-022 PVC

Floor: DB-022 PVC

XZ-G02 选配 Optional



吊顶: DD-08 镜面不锈钢

Ceiling: DD-08 Mirror stainless steel

后壁板: 弧形钢化玻璃

Rear-wall panel: Curved tempered glass

侧壁板: 发纹不锈钢

Side-wall panel: Hairline stainless steel

边板: 发纹不锈钢

Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢

Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢

Car door: Hairline stainless steel

地板: DB-032 PVC

Floor: DB-032 PVC





医用电梯系列

Hospital elevator
series

仁者爱人，以完美细节输送生命点滴

The benevolent love,
Deliver life with perfect details

广东西子医用电梯采用先进技术，轿厢宽敞、运行平稳、设计合理、安装方便，可容纳医用担架，用于紧急就医通道，为生命争取更多时间。

XZKC hospital elevator applies the advanced technology with broad car, smooth operation, rational design and convenient installation. It can hold hospital stretcher. It is used for emergency hospital channel. It gains more time for rescuing lives.

福寿康宁

Happiness, longevity and health

» XZ-B02

标配 Standard

吊顶: DD-05 发纹不锈钢
Ceiling: DD-05 Hairline stainless steel

后壁中板: 发纹不锈钢
Rear-wall panel: Hairline stainless steel


侧壁中板: 发纹不锈钢
Side-wall center-panel: Hairline stainless steel

边板: 发纹不锈钢
Side-panel: Hairline stainless steel

前壁板: 发纹不锈钢
Front wall panel: Hairline stainless steel

轿门: 发纹不锈钢
Car door: Hairline stainless steel

地板: DB-032 PVC
Floor: DB-032 PVC





加装电梯系列

Re-installation elevator series

占地面积小，不占用公共空间

Small area, not occupying public space

无机房井道利用率高，钢结构井架与电梯设备装置有机结合，与原有建筑匹配贴合，占地面积仅为3-5m²，不占道、不堵塞消防通道、不侵占公共空间。


The inorganic room has a high utilization rate of the shaft, and the steel derrick and elevator equipment are organically combined. It matches and fits with the original building. It covers an area of only 3-5m². It does not occupy the road, block the fire-fighting passage and occupy the public space.

钢结构模块化，耐久稳固

Modular steel structure, durable and stable

利用定型钢材，采用独特的设计和工艺制作。钢结构井道由专业的团队设计、制造，可适应各种复杂建筑结构，与电梯设备装置完美结合。

It utilizes standard steel material. It applies unique design, craft & technology for making. Steel structure well has been designed and manufactured by professional team. It can adapt to various complicated building structures. It perfectly combines with the elevator equipment.



现场拼装
The assembled



整体吊装
Integral lifting

多种材质选择

Multiple material selections

铝塑板+玻璃结构

Aluminum-plastic sheet + glass structure



耐腐蚀、增强强度、钢材变形不易破裂。

Anti-corrosive, strength-increasing, uneasy deformation / broken to steel materials

铝塑板结构

Aluminum-plastic panel structure



加工性能优异，施工便捷，并具有超耐候性。

Excellent machining properties, prompt & convenient construction, super weather-resistance

玻璃结构

Glass structure



井道框架采用坚固的钢结构，四面设置高强度钢化夹胶玻璃，安全可靠。

Well frame applies the firm steel structure. It sets high intensity toughened laminated glass at four sides. It is safe and reliable.

玻璃颜色可选

Optional glass color



透明玻璃
Transparent glass



蓝色
Blue



茶色
Tea color

铝塑板颜色可选

Optional aluminum-plastic panel colors



米黄
Beige



象牙白
Ivory white



深灰
Dark grey

入户方式

Entry mode



平层入户，侧平台
Flat layer entry,
side platform



平层入户，双跨耳式平台
Flat layer entry,
double span ear platform



平层入户，无平台直连式
Flat layer entry,
no platform direct connection



平层入户，无平台直连式（贯通门）
Flat layer entry,
no platform direct connection
(through door)



错半层入户，直平台式
The half layer entry,
straight platform



错半层入户，侧平台式
The half layer entry,
side platform

广东西子系列加装电梯拥有多种现场预装方案，可针对不同现场情况灵活应用；能根据业主需求进行个性化定制，满足不同建筑加装要求。

XZKC series additional elevator has a variety of on-site preinstallation schemes, which can be flexibly applied according to different site conditions; Can be customized according to the needs of owners, to meet the requirements of different building installation.



载货电梯系列


Freight elevator series

厚物载德 豁达为怀


The thick material carries the virtuous open-minded for the bosom

在物流领域，工厂、仓库、购物中心、超级市场、机场、车站等不同场所的货运需求中，广东西子载货电梯的发展日臻完善，我们生产的电梯产品种类繁多，长期以来奠定了广东西子载货电梯“节能、安全、恒力、精准”的技术和生产优势，完成了对用户高效能和人性化的服务。


In logistics field, upon goods transport requirements in different places such as factory; warehouse; shopping center; supermarket; airport; bus station etc., XZKC freight elevator develops perfectly each day. Over the years, XZKC freight elevator owns "energy-saving, safe, constant force, accurate" technology and manufacture advantages. It finishes effective and human-centered service for vast users.




旁开两扇门
2P side opening



单开门
Single door



中分四扇门
4P center opening



贯通门
Opposite door

变频主机

Variable frequency host

变频曳引主机，安全节能、效率高、噪音低、振动小、运行平稳、润滑性能好、性能优越，极大地满足了用户对电梯产品稳定、节能、运行平稳的高要求。

Variable frequency traction host is of the fine security and energy-saving, high efficiency, low noise, little variation, smooth travel, good lubricating performance, advantageous properties. It greatly satisfies the users'high demands towards the lift stability, energy-saving and smooth running.

坚固耐用的轿厢

Firm and durable car

高强度的板材折弯成型技术，确保轿厢坚固耐用，另可选配公司特别设计的防撞护栏，让轿厢得到多重保护。

High strength plate bending and forming technology ensures the firm and durable car. In addition, the company specially designs Crash Barrier to implement multi-protection to the car.

载货电梯轿厢装潢

Freight elevator
car decoration



» XZ-H001

标配 Standard

- 轿 顶: 喷涂钢板
- 通 风: 圆形风扇
- 轿 壁: 喷涂钢板
- 轿 门: 喷涂钢板
- 地 坎: 钢板折弯/钢板刨槽(选配)
- 地 板: 花纹钢板
- Ceiling: Paint steel
- Ventailiation: Round fan
- Car wall: Paint steel
- Car door: Paint steel
- Sill: Bent steel plate / steel plate planer (optional)
- Floor: Pattern steel plate

» XZ-H002

选配 Optional

- 轿 顶: 喷涂钢板
- 通 风: 圆形风扇
- 轿 壁: 喷涂钢板
- 轿 门: 喷涂钢板
- 地 坎: 钢板折弯/钢板刨槽(选配)
- 地 板: 花纹钢板
- Ceiling: Paint steel
- Ventailiation: Round fan
- Car wall: Paint steel
- Car door: Paint steel
- Sill: Bent steel plate / steel plate planer (optional)
- Floor: Pattern steel plate



COP-06

点阵显示
Dot matrix display



WH-06

点阵显示
Dot matrix display

厅门
Landing door



中分式
Center opening




旁开式
Side opening



双折中分式
Double-folded center opening type

地板
Floor



花纹钢板
Patterned steel plate

色卡
Color card series



XZ-SK01



XZ-SK02

防撞条
Crash barrier



木质 (选配)
Wood (optional)



黑色橡胶 (选配)
Black rubber (optional)



杂物电梯系列

Utility elevator series

设计新颖的滑道

Slide-way with novel design

设计独特的双型材专用滑道，中间通过门滑块连接运行，既增强了电梯门开启的顺滑程度，又可减小门板间隙并易于安装调整。

Double section-material special-purpose slide-ways are of unique design. It connects with running through door slider. It strengthens the smooth elevator door opening. It also reduces door-plank gap. It is convenient for adjustment.

静音慎行的安全

The safety and stability of silence

杂物电梯为各种建筑中的小型货梯提供快捷、方便、经济的垂直运输，大大节省时间及人力资源。可广泛适用于宾馆、饭店、银行、医院等场所供运送诸如饮食、餐具、日用品等物品之用。

Dumbwaiter elevator provides small freight elevators in various buildings with the prompt, economical and convenient vertical transport. It greatly saves time and labor resources. It is widely applicable for delivering food and drinks, dining ware, daily commodities etc. in the hotel, restaurant, bank, hospital and so on.



窗口型（上下直分）
Windowsill type (up / down straight-opening)



落地型（上下直分）
Ground type (up / down straight-opening)



占地空间小
Small covering area



PC机控制模块
PC machine control module



人性化设计
Human-centered design

丰富的规格型号

Rich specifications and models

载重范围在100KG-300KG，开门方式可分为货物直接进出的窗台式和方便载货小车进出的落地式。

Load range: 100kg-300kg. Door modes can be divided into windowsill type which is convenient for direct entry/exit of the goods and floor type which is easy for goods cart.



坚固、结实

A

精益求精

B


别具一格

优质、耐用


精雕细刻

厅门系列

Landing door series



CM-01 首层标配 Standard
 门套：发纹不锈钢
 厅门：发纹不锈钢
 Jamp: Hairline stainless steel
 Landing door: Hairline stainless steel



CM-02 标配 Standard
 门套：钢板喷涂（银灰色）
 厅门：钢板喷涂（银灰色）
 Jamp: Hairline stainless steel
 Landing door: Mirror stainless steel



CM-03 选配 Optional
 门套：钢板喷涂（米黄色）
 厅门：钢板喷涂（米黄色）
 Jamp: Hairline stainless steel
 Landing door: Hairline etched stainless steel



CM-10 选配 Optional
 门套：镜面不锈钢
 厅门：镜面蚀刻不锈钢
 Jamp: Mirror stainless steel
 Landing door: Mirror etched stainless steel



CM-11 选配 Optional
 门套：发纹不锈钢
 厅门：发纹不锈钢，安全玻璃
 Jamp: Hairline stainless steel
 Landing door: Hair line stainless steel, safety glass



CM-12 选配 Optional
 门套：发纹不锈钢
 厅门：发纹蚀刻不锈钢
 Jamp: Hairline stainless steel
 Landing door: Hairline etched stainless steel



CM-07 选配 Optional

门套：镜面/钛金不锈钢

厅门：钛金蚀刻不锈钢

Jamp: Mirror / titanium gold stainless steel
Landing door: Titanium etched stainless steel



CM-22 选配 Optional

门套：镜面/钛金不锈钢

厅门：钛金镜面蚀刻不锈钢

Jamp: Mirror / titanium gold stainless steel
Landing door: Titanium gold mirror etched stainless steel




CM-23 选配 Optional

门套：镜面/钛金不锈钢

厅门：钛金镜面蚀刻不锈钢

Jamp: Mirror / titanium gold stainless steel
Landing door: Titanium gold mirror etched stainless steel



CM-20 选配 Optional

门套：镜面/古铜色不锈钢

厅门：古铜色蚀刻不锈钢

Jamp: Mirror / bronze stainless steel
Landing door: Bronze etched stainless steel



CM-26 选配 Optional

门套：镜面/玫瑰金不锈钢

厅门：玫瑰金镜面蚀刻不锈钢

Jamp: Mirror / rose gold stainless steel
Landing door: Rose gold mirror etched stainless steel




CM-27 选配 Optional

门套：镜面/香槟金不锈钢

厅门：香槟金镜面蚀刻不锈钢

Jamp: Mirror / champagne gold stainless steel
Landing door: Champagne gold mirror etched stainless steel



CM-25 选配 Optional

门套：镜面/木纹不锈钢

厅门：木纹钢板

Jamp: Mirror / wood grain stainless steel
Landing door: Wood grain steel plate




CM-17 选配 Optional

门套：镜面/香槟金不锈钢

厅门：香槟金不锈钢

Jamp: Mirror / champagne gold stainless steel
Landing door: Champagne gold stainless steel




CM-19 选配 Optional

门套：镜面/黑钛金不锈钢


厅门：黑钛金不锈钢

Jamp: Mirror / black titanium gold stainless steel
Landing door: Black titanium gold stainless steel

扶手系列 Handrai series




FS-001 选配 Optional



FS-002 选配 Optional



FS-003 选配 Optional



FS-004 选配 Optional



自动扶梯 Escalator

先进科研技术，铸就至高品质

Advanced scientific research technology creates the excellent quality

自动扶梯采用国际先进技术和先进的设计理念生产制造，具有运行平稳，噪音低、经久耐用、维修方便等特点，其精巧的结构、精良的梯路、精致的带路、外形豪华美观，提供给乘客亮丽、舒适的全新感觉，让您领略现代建筑的超凡魅力和豪华气派。

The escalator applies the advanced technology and design concept. It with the features of smooth running, low noise, durable, maintain friendly, etc. With delicate structure, sophisticated step belt route, it brings the passengers with bright and comfortable travel.


自动人行道 Moving walk

时尚靓形带来更佳承载体验

Popular outline brings about better travel experience


自动人行道因其产品自身的特点，不仅能满足人流量大的运输问题，又能满足长距离步行和运送行李车、婴儿车、购物车、残疾车等，使人们在乘坐的时候特别是在购物之际上楼下楼有如履平地的感觉，极大地方便了人们的出行和购物。其方便、快捷、愉悦的乘坐需要，由此也成为各大超市、机场、展览中心及运输转换站的首选解决方案。

Because of its own characteristics, the moving walk can meet the requirements of carrying luggage cart, shopping cart, baby cart, disabled vehicle, etc. It is the ideal solution for shopping malls, airports, exhibition center, transport interchange station, etc.



有机房客梯 土建布置图

Machine room passenger elevator construction layout




标准规格及尺寸 (高速梯参数另算)
STANDARD SPECIFICATIONS AND DIMENSIONS

电梯型号 载重 (KG)	载人数	轿厢内尺寸 宽*深*高	开门尺寸 宽*高	井道内尺寸 宽*深
TK450	6人	1200*1000*2500	700*2100	1600*1600
TK630	8人	1400*1100*2500	800*2100	1800*1700
TK800	10人	1400*1350*2500	900*2100	1900*2000
TK1000	13人	1600*1500*2500	900*2100	2100*2200
TK1150	15人	1700*1500*2500	900*2100	2200*2200
TK1350	18人	1800*1700*2500	1000*2100	2300*2400
		医梯:1400*2200*2500		医梯:2200*2600
TK1600	21人	2000*1700*2500	1100*2100	2500*2400
		医梯:1450*2400*2500		医梯:2350*2800

无机房客梯 土建布置图

Machine-less room passenger elevator construction layout




标准规格及尺寸 (高速梯参数另算)
STANDARD SPECIFICATIONS AND DIMENSIONS

电梯型号 载重 (KG)	载人数	轿厢内尺寸 宽*深*高	开门尺寸 宽*高	井道内尺寸 宽*深
TKW450	6人	1000*1200*2500	700*2100	1800*1550
TKW630	8人	1200*1300*2500	800*2100	1950*1650
TKW800	10人	1350*1400*2500	900*2100	2100*1750
TKW1000	13人	1500*1600*2500	900*2100	2300*2000
TKW1150	15人	1500*1800*2500	900*2100	2350*2200
TKW1350	18人	1500*2000*2500	1000*2100	2500*2400
		医梯:1400*2200*2500		医梯:2400*2600
TKW1600	21人	1650*2100*2500	1100*2100	2650*2500
		医梯:1450*2400*2500		医梯:2450*2800


别墅电梯 土建布置图

Villa elevator construction layout



载货电梯 土建布置图

Freight elevator construction layout




标准规格及尺寸

STANDARD SPECIFICATIONS AND DIMENSIONS

电梯型号 载重	轿厢内尺寸 宽*深*高	开门尺寸 宽*高	井道内尺寸 宽*深	顶层高度
TH2000	1900*2200*2300	旁开1600*2100	2800*2700	4500
TH3000	2200*2600*2300	旁开1800*2100	3200*3200	4500
TH5000	2400*3600*2400	旁开2000*2300	3500*4200	4600
TH6000	2600*4000*2500	2200*2400	3900*4500	4800
TH8000	2600*5300*2500	2400*2400	4300*5200	4800
TH10000	3000*5500*2500	2600*2400	4300*6000	4800

自动扶梯 土建布置图

Escalator construction layout



标准规格及尺寸

STANDARD SPECIFICATIONS AND DIMENSIONS

梯级宽度	A	600	800	1000
外型宽度	B	1140	1340	1540
土建开口宽度	C	1200	1400	1600
扶手中心距	D	838	1038	1238
楼板开口宽度	E	1838	2038	2238
支撑座长度	I	1140	1340	1540
提升高度 H≤6 m (H小于等于6 m)	倾斜度 α	30°		35°
	a	2198		2242
	b	1.732×H		1.428×H
	c	2567		2663
	d	4100		4300
	e	4000+1.732×S		3300+1.428×S
	H1	无N/A		无N/A
提升高度 6米 < H≤9米 (6 m < H≤9 m)	L1	无N/A		无N/A
	倾斜度 α	30°		
	a	2688		
	b	1.732×H		
	c	3057		
	d	4900		
	e	4000+1.732×S		
	H1	以土建图为准		
	L1	以土建图为准		

扶梯型号	TFM	
扶梯速度	0.5 m/s	
倾斜度 α	30°	35°
提升高度	H	
两梁跨距	HL=a+b+c	

技术说明


TECHNICAL DESCRIPTION

- 1.本图尺寸单位为 mm; 安装场所内为室内; 适用于提升高度H≤9米, 速度V=0.5 m/s.
- 2.选用梯级宽度600 mm, 桁架上部须延长417 mm.
- 3.提升高度超过7.8米, 桁架上部须延长417 mm.
- 4.动力电源为三相交流380 V 50 Hz.
- 5.当水平跨距L > 15.0米时需加1中间支撑, 位置基本居中.
- 6.当自动扶梯装于二楼以上时, 地坑取消, 土建下部结构与上部对称.
- 7.在自动扶梯出入口应有充分畅通区域, 其宽度不小于1238, 深度从扶手带转向端到前面障碍物不小于2500
- 8.自动扶梯扶手中心线至任何障碍物之间的距离不小于500 mm, 当该距离小于500 mm时, 用户需在扶手带上方设置一个无锐利边缘的垂直防护挡板.

1. The unit is mm, installed in indoor. The layout drawing is suitable for the construction which the height is under 9 m with speed 0.5 m/s.
2. If the step width is 600 mm, 417 mm should be extended at the upper of the truss.
3. If the rise is more than 7.8 m, 417 mm should be extended at the upper of the truss.
4. Power supply with 3 phase 380V 50 Hz.
5. When the L > 15 m, one supporting is required at the center.
6. When installed at second floor or above, then no need for pit, the construction of lower entrance is symmetrical to the upper entrance.
7. There should be free area at the entrance with width more than 1238 mm and depth more than 2500 from the handrail turning point.
8. The distance from the center line for the handrail to the obstacle should be more than 500 mm, if not, the user has to fix a vertical protection plate without sharp edge above the handrail.

自动人行道 土建布置图

Moving walk construction layout



标准规格及尺寸

STANDARD SPECIFICATIONS AND DIMENSIONS

梯级宽度A			扶手中心距B		外形宽度C		土建开口宽度 D		楼板开门宽度 E		支撑座长度 F	
800			1000		1400		1460		2100		1400	
1000			1288		1600		1660		2310		1600	
倾斜角度	提升高度		中间支撑		La		Lb		H1			
	自From	至To	R3									
12°	1061	2508	-		-		-		-			
	1000	5695	1		L/2		L/2		H-(La×0.2126+545)			
	5696	6000	1		L/3		L/3		H-(La×0.2126+545)			

技术参数

TECHNICAL PARAMETERS

人行道型号	TRM
人行道速度	0.5 m/s
倾斜度α	12°
提升高度	H
两梁跨距	L=H×4.7046+3200

技术说明

TECHNICAL DESCRIPTION

- 1.本图尺寸单位为 mm; 适用于提升高度H≤6米, 速度V=0.5 m/s.
- 2.选用梯级驱动, 桁架上部须延长417 mm.
- 3.动力电源为三相交流380 V 50 Hz.
- 4.当自动扶梯装于二楼以上时, 地坑取消, 土建下部结构与上部对称.
- 5.在自动扶梯出入口应有充分畅通区域, 其宽度不小于1238, 深度从扶手带转向端到前面障碍物不小于2500
- 6.自动扶梯扶手中心线至任何障碍物之间的距离不小于500 mm, 当该距离小于500 mm时, 用户需在扶手带上方设置一个无锐利边缘的垂直防护挡板.
1. The unit is mm. The layout drawing is suitable for the construction which the height is under 6 m with speed 0.5 m/s.
2. If with double drive, 417 mm should be extended at the upper of the truss.
3. Power supply with 3 phase 380 V 50 Hz.
4. When installed at second floor or above, then no need for pit, the construction of lower entrance is symmetrical to the upper entrance.
5. There should be free area at the entrance with width more than 1238 mm and depth more than 2500 from the handrail turning point.
6. The distance from the center line for the handrail to the obstacle should be more than 500 mm, if not, the user has to fix a vertical protection plate without sharp edge above the handrail.

经典案例

Classical examples

建筑艺术，点亮城市未来。

Building art brightens a bright city future.



北京瀛海公馆
Beijing Yinghai Residence



重庆市希尔顿商务楼公区
Public Area of Chongqing City
Hilton Commercial Building



北京大羊坊收费站
Beijing Dayangfang Toll Station



河北津西钢铁集团股份有限公司
Hebei Jinxi Iron & Steel Group Co., Ltd.



泉州汉唐天下
Quanzhou World of Han & Tang Dynasties



莆田名都水汇健康会所有限公司
Putian Mingdu Shuihui Health Club Co., Ltd.



宜春凯旋城一期
Yichun Triumph City First Phase



石井悦凯大酒店
Shijing Yuekai Hotel



英德仙湖湾
Yingde Fairy Lake Bay



银诚东方国际
Yincheng Orient International



秦皇岛秉翰房地产开发有限责任公司
Qinhuangdao Binghan Real Estate
Developing Co., Ltd.



银川市西夏区国有资产投资控股有限公司
Yinchuan City Xia District State-Owned
Estate Investment Stock-Holding Co., Ltd.



乐山万和房地产开发有限公司
Leshan Wanhe Real Estate
Developing Co., Ltd.



国美/美洲国际
GOME / American International



新乡金谷阳光房地产开发有限公司
Xinxiang Gold-Valley Sun Real Estate
Developing Co., Ltd.



贵溪市恒泽房地产开发有限公司
Guixi City Hengze Real Estate
Developing Co., Ltd.



泸县森腾房地产开发有限公司
Luxian Senteng Real Estate
Developing Co., Ltd.



徐水县天祥房地产开发有限公司
Xushui County Tianxiang Real Estate
Developing Co., Ltd.



新疆山河建设集团有限公司
Xinjiang Shanhe Construction
Group Co., Ltd.



河北省安国佳业房地产有限公司
Hebei Province Anguo Jiaye Real
Estate Co., Ltd.



合江·江语长滩
Hejiang · Hanyu Long-Beach

经典案例

Classical examples



深圳万裕昌酒店管理（深圳欢朋希尔顿酒店）
Shenzhen Wan Yu Chang Hotel Management
(Shenzhen Hampton by Hilton)



东莞市东新实业有限公司翡翠金湾
Dongguan City Dongxin Industrial Co., Ltd. Jade Gold-Bay



香港荣福中心
Hong Kong Wing Fuk Centre



香港长安村一期
Hongkong Chang'an Village First Phase



香港丽城花园二期
Hongkong Licheng Garden Second Phase



香港滨海大厦
Hongkong Sea-Side Building



香港大兴花园
Hongkong Daxing Garden



香港置乐大厦
Hongkong Zhile Building



香港伟恒昌
Hongkong Wei Heng Chang



张坝·天府花园
Zhangba ·Heavenly Residence Garden



河北禧悦城
Hebei Xiyue City



东莞茵茵股份
Dongguan Yinyin Stock




泸州巨洋饭店
Luzhou Juyang Hotel



香港丽景大厦
Hongkong Lijing Building



乐山盘龙开元名都大酒店
Leshan Panlong Kaiyuan Mingdu Hotel



国窖1573世界藏酒中心
Liquor in Pits 1573 World
Wine-Collection Center




兴宁神光山一期
Xingning Shengguang Mt. First Phase



佛山市世博广场
Foshan City World Expo Plaza



泸州大剧院
Luzhou Grand Theatre



新丰县中心洲渡假村
Xinfeng County Center-Continent Resort

完善的销售网络

Perfect sales network

服务网点 Service network

贵州遵义服务网点
贵州黔南州服务网点
黔南州荔波县服务网点
贵州安顺服务网点
贵州毕节服务网点
贵州仁怀服务网点
贵州兴义服务网点
贵州福泉服务网点
贵州黔东南服务网点
贵州凯里服务网点
西藏服务网点
广西玉林市服务网点
广西贵港服务网点
广西南宁服务网点
云南曲靖服务网点
云南昆明服务网点
惠州市惠城区服务网点
北京市西城区服务网点
北京市海淀区服务网点
北京市丰台区服务网点
北京市昌平区服务网点

福建三明服务网点
福建莆田服务网点
福建泉州服务网点
福州市服务网点
福建厦门服务网点
河源服务网点
英德服务网点
肇庆市广宁服务网点
肇庆市端州服务网点
广东粤东服务网点
广东广州服务网点
广东高州服务网点
广东云浮服务网点
广东茂名服务网点
广东阳江服务网点
广东惠州石湾、园洲服务网点
广东中山服务网点

山西服务网点
湖北省武汉市服务网点
重庆市西南服务网点
铜仁服务网点
贵阳服务网点
江西南昌市服务网点
四川遂宁服务网点

四川成都市新都区服务网点
四川成都市青羊区服务网点
浙江丽水服务网点
浙江温州服务网点
浙江台州服务网点
河南三门峡服务网点
香港服务网点



分公司 Branch company

- | | | |
|---------|---------|------------|
| ★ 贵州分公司 | ★ 安徽分公司 | ★ 惠州分公司 |
| ★ 广西分公司 | ★ 紫金分公司 | ★ 广东粤西分公司 |
| ★ 陕西分公司 | ★ 河源分公司 | ★ 海南分公司 |
| ★ 重庆分公司 | ★ 深圳分公司 | ★ 福建营销服务中心 |