

THE 1ST ELEVATOR MANUFACTURER IN SOUTH CHINA
To obtain the A1 Level Elevator Manufacturing Qualification

Matiz, a national high-tech enterprise with registered capital of 50.08 million Chinese yuan, integrating R & D, manufacturing, sales and installation of elevators, escalators and main components with strong strength and has been awarded as the fast-growing new elevator brand. Based on its high quality, supreme design and cost-effective performance, its products have been exported to more than 60 countries and regions, covering from Asia, Europe, America, Africa, and Oceania these five continents.



HIGHER AND FASTER

MATIZ ELEVATOR CO.,LTD.

Headquarters: MATIZ Industrial Park, MCMP,Nanlang, Zhongshan, Guangdong, China.

TEL : +86-760-8552 8593
Email: vip@matiz.com.cn
Website: www.matizglobal.com
www.matiz.com.cn

24-Hour Service Line | **400-8352-007**



WECHAT ACCOUNT



TIK TOK ACCOUNT

This publication is for general information and we reserve the rights to change the product design and specifications at any time. Any statement in this brochure, no matter in its literal meanings or essence, bears no responsibility to any products and their functions and quality, nor any statement or changes in the sales contract.

MATIZ Higher and Faster



MR Passenger Elevator/ MRL Passenger Elevator/ Panoramic Elevator/ Hospital Elevator

Move with Us

MATIZ, the leading manufacturer and exporter of Elevators, Escalators, Moving walks, Smart Car Parking Systems and Passenger Boarding Bridges for airport and seaport.

We offer customization for our products in order to meet with clients' needs and the local standard. We have been supplying elevators and smart car parking systems for many well-known developers, such as Country Garden, Poly Group, Greenland Group, Vingroup, etc.

WHY MATIZ?

- Sino-Spain national Hi-tech enterprise.
- Manufacturing, installation and maintenance of AAA-level National Highest Qualified Enterprise
- Registered capital CNY 500.08 million
- Annual output capacity: 16,000 elevators, 3,000 escalators and moving walks
- Over 100 meters high elevator test tower
- Our strong R & D department is always looking for new innovations and we have 147 technical patents.
- Customized products to meet clients requirements.
- Best service provider with sufficient stock and over 600 staffs, quick response in our sales and after sales service around the globe.
- Intelligent manufacturing with automatic production line to reduce the delivery time , waste and improve the efficiency.



Non-contact Lift Calling



Voice Calling



Face Recognition



QR Code Calling

With innovative technology, MATIZ provides different alternatives for a non-contact lift calling, which helps to prevent the spread of infectious diseases.



Safety




Ten safety devices which protect passengers in all aspects.

IoT Real-time Monitoring



MATIZ IoT :
High efficiency and energy-saving, real-time protection,
providing intelligent management and control

Safe Monitoring



CERTIFICATION

MATIZ products have been certified with European CE certificate, German TUV certificate, Russian EAC certificate and other international and well-known certificates. MATIZ will always keep its innovation in the elevator industry by doing research and including new features to our products.



High-tech product certificate

Use international standard product certificate



EAC Certification

CE Certification

EMC Certification

Energy efficiency class A certification



National Quality Inspection and Stable Qualified Products

National Quality Trustworthy Products



Energy saving




RECYCLING USE OF RESOURCES



LOW CARBON EMISSION



Environmental friendly




Optional Matiz Elevator

GEARLESS(VVVF)

GEARED (AC-W)

HYDRAULIC




PASSENGER ELEVATOR

MACHINE ROOM



CONSTRUCTION LAYOUT



MR Passenger Elevator Technical Parameters




Capacity	Speed	Entrance	Door size	Car size	Shaft size	Pit depth	Overhead height	Machine room height
kg	m/s		OP × OH	CW × CD × CH	SW × SC	(mm)	(mm)	(mm)
630	1.0	Center opening	800X2100	1300 X1200 X2600	1900 X 1850	≥ 1500	≥ 4300	≥ 2200
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
800	1.0	Center opening	800X2100	1400 X1350 X2600	2000 X2000	≥ 1500	≥ 4300	≥ 2200
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
1000	1.0	Center opening	900X2100	1600 X1450 X2600	2250 X2150	≥ 1500	≥ 4300	≥ 2200
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
1250	1.0	Center opening	1000X2100	1850 X1500 X2600	2500 X2200	≥ 1500	≥ 4300	≥ 2200
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
1350	1.0	Center opening	1000X2100	1850 X1600 X2600	2500 X2300	≥ 1500	≥ 4300	≥ 2200
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
1600	1.0	Center opening	1100X2100	1900 X1800 X2600	2550 X2500	≥ 1500	≥ 4300	≥ 2200
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
	2.5					≥ 1800	≥ 4800	
	2.5					≥ 1800	≥ 4800	

Note: The above parameters are for reference only, please refer to the actual drawing for specific dimensions

PASSENGER ELEVATOR

MACHINE ROOM LESS

CONSTRUCTION LAYOUT



Save construction space

Machine roomless design, the motor and the traction system are placed inside the shaft, which greatly improve the utilization of the construction space



Low noise



Environmental-friendly



High efficiency and energy saving

MRL Passenger Elevator Technical Parameters

Capacity	Speed	Entrance	Door size	Car size	Shaft size	Pit depth	Overhead height
kg	m/s		OP×OH	CW×CD×CH	SW×SC	(mm)	(mm)
630	1.0	Center opening	700X2100	1200X1300X2600	2100X1800	≥ 1500	≥ 4300
	1.5					≥ 1600	≥ 4400
	1.75					≥ 1600	≥ 4500
800	1.0	Center opening	800X2100	1350X1400X2600	2250X1850	≥ 1500	≥ 4300
	1.5					≥ 1600	≥ 4400
	1.75					≥ 1600	≥ 4500
1000	1.0	Center opening	900X2100	1600X1450X2600	2500X1900	≥ 1500	≥ 4300
	1.5					≥ 1600	≥ 4400
	1.75					≥ 1600	≥ 4500
1250	1.0	Center opening	1000X2100	1800X1550X2600	2700X2000	≥ 1500	≥ 4300
	1.5					≥ 1600	≥ 4400
	1.75					≥ 1600	≥ 4500
1350	1.0	Center opening	1000X2100	1800X1650X2600	2700X2100	≥ 1500	≥ 4300
	1.5					≥ 1600	≥ 4400
	1.75					≥ 1600	≥ 4500

Note: The above parameters are for reference only, please refer to the actual drawing for specific dimensions

PANORAMIC ELEVATOR Machine Room

Aesthetic design, create a scene

Fashionable design integrates the architecture aesthetics, highly improving the architecture aesthetics



Low noise






Environmental-friendly



High efficiency and energy saving

CONSTRUCTION LAYOUT




MR Panoramic Elevator Technical Parameters

Capacity	Speed	Entrance	Door size	Car size	Shaft size	Pit depth	Overhead height
kg	m/s		OP×OH	CW×CD×CH	SW×SC	(mm)	(mm)
630	1.0	Center opening	800X2100	1050X1525X2600	2100X2100	≥ 1500	≥ 4500
	1.5					≥ 1600	≥ 4600
	1.75					≥ 1600	≥ 4700
800	1.0	Center opening	800X2100	1200X1600X2600	2200X2200	≥ 1500	≥ 4500
	1.5					≥ 1600	≥ 4600
	1.75					≥ 1600	≥ 4700
1000	1.0	Center opening	800X2100	1400X1800X2600	2350X2300	≥ 1500	≥ 4500
	1.5					≥ 1600	≥ 4600
	1.75					≥ 1600	≥ 4700
1250	1.0	Center opening	900X2100	1500X2000X2600	2450X2550	≥ 1500	≥ 4500
	1.5					≥ 1600	≥ 4600
	1.75					≥ 1600	≥ 4700
1350	1.0	Center opening	900X2100	1600X2050X2600	2600X2650	≥ 1500	≥ 4500
	1.5					≥ 1600	≥ 4600
	1.75					≥ 1600	≥ 4700

Note: The above parameters are for reference only, please refer to the actual drawing for specific dimensions


ANTIBACTERIAL AND ANTIVIRUS

Principle



It reduces bacterial retention in the elevator cabin space.

In the air inlet to ensure the purest source of air-in the elevator cabin



Silicone germicidal coating to protect the passengers

VIRUS

Ranges	Killing rate	Killing time (minutes)
H1N1 svine fu & H1N1	>99.9%	1
Influenza B virus	>99%	1
Influenza A H3N2	>99%	1
Avian Influenza H7N9	>99.9%	1
Noro, measles	>99.9%	1
Enteroviruses EY71	>99%	1
MERS-CoV (Middle East Coronavirus)	>98%	60

MDROs

Ranges	Killing rate	Killing time (minutes)
MRSA	>99.9%	1
MRPA	>99.9%	1
WRE	>99.9%	1
Imipenem-resistant Acinetobacter	>99.9%	1


BACTERIA

Ranges	Killing rate	Killing time (minutes)
Mycobacterium tuberculosis	>97%	60
Legionella pneumophila	>99.9%	1
Staphylococcus aureus	>99.9%	1
Aspergillus niger	>99.9%	1
Candida albicans (fungi)	>99.9%	1
Colon Bacillus	>99.9%	1
Pneumoniae	>99%	1
Dozens of Others	>99%	1

HOSPITAL ELEVATOR


Machine Room

CONSTRUCTION LAYOUT



Professional Medical Anti-epidemic Elevator

6 different protection alternatives for non-contact lift calling+unidirectional airflow in the cabin+ air-in purification+key space disinfection in the cabin + safety monitoring+antibacterial coating to prevent the spread of infectious diseases and ensure passengers' safety.



Hospital Elevator Technical Parameters

Capacity	Speed	Entrance	Door size	Car size	Shaft size	Pit depth	Overhead height	Remark
kg	m/s		OP×OH	CW×CD×CH	SW×SC	(mm)	(mm)	
1600	1.0	Center opening	1200X2100	1400 X 2400 X 2600	2600 X 2900	≥ 1500	≥ 4300	Standard
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
	2.5					≥ 1800	≥ 4800	
2100	1.0	Center opening	1200X2100	1700 X 2400 X 2600	2750 X 2900	≥ 1500	≥ 4300	
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
	2.5					≥ 1800	≥ 4800	
1600	1.0	Side opening	1200X2100	1400 X2400 X 2600	2300 X 2900	≥ 1500	≥ 4300	Optional
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
	2.5					≥ 1800	≥ 4800	
2100	1.0	Side opening	1200X2100	1700 X 2400 X 2600	2600 X 2900	≥ 1500	≥ 4300	
	1.5					≥ 1600	≥ 4400	
	1.75					≥ 1600	≥ 4500	
	2.0					≥ 1700	≥ 4600	
	2.5					≥ 1800	≥ 4800	

Note: The above parameters are for reference only, please refer to the actual drawing for specific dimensions

PASSENGER ELEVATOR

STANDARD SERIES



KX01
Ceiling: Mirror stainless steel,
acrylic transparent plate

Car wall: Sandblasted stainless steel
+wooden mirror stainless steel

Floor: PVC



KX02
Ceiling: Mirror stainless steel,
acrylic transparent plate

Car wall: Sandblasted stainless steel
+wooden mirror stainless steel

Floor: PVC



KX03
Ceiling: Mirror stainless steel,
acrylic transparent plate

Car wall: Mirror stainless steel +
mirror etching stainless steel

Floor: PVC



KY01
Ceiling: Hairline stainless steel,
acrylic transparent plate

Car wall: Hairline stainless steel

Floor: PVC





KX04

Ceiling: Mirror stainless steel,
acrylic transparent plate

Car wall: Rose gold mirror
stainless steel + rose gold
mirror etching stainless steel

Floor: Marble



KX05

Ceiling: PVD coating Black
hairline stainless steel

Car wall: PVD coating Black
hairline stainless steel
+ wooden plate

Floor: Marble



KX06

Ceiling: Wooden plate

Car wall: Mirror stainless steel
+ wooden plate + PVD coating
black hairline stainless steel

Floor: PVC



PVD: Physical Vapor Deposition



KX07

Ceiling: Rose gold mirror stainless steel, rose gold mirror etching stainless steel

Car wall: Rose gold mirror stainless steel, decorated with solid wood, laminated gold mirror

Handrail: Solid wood

Floor: Marble



KY08

Ceiling:PVD coating Gold hairline stainless steel, acrylic transparent plate

Car wall: PVD coating Gold hairline stainless steel, PVD coating Gold etching stainless steel, PVD coating Gold mirror stainless steel

Floor: Marble



PVD: Physical Vapor Deposition

COMMERCIAL SERIES

Applicable to 1200-2100kg lift



KS01

Ceiling: Mirror stainless steel

Car wall: Sandblasted stainless steel ,
wired sheet glass

Handrail: Mirror stainless steel

Floor: Marble



KS02

Ceiling: Mirror stainless steel,
acrylic transparent plate

Car wall: Sandblasted stainless steel ,
PVD coating black sandblasted
stainless steel,stone-like steel plate with
film, mirror stainless steel

Floor: Marble



PVD: Physical Vapor Deposition

COMMERCIAL SERIES

Applicable to 1200-2100kg lift



KS03

Ceiling: PVD coating Black hairline stainless steel, acrylic transparent plate
Car wall: PVD coating Black mirror stainless steel, wooden plate, mirror etching stainless steel

Floor: Marble



KS05

Ceiling: Mirror stainless steel, bronze sandblasted stainless steel

Car wall: bronze mirror stainless steel, wooden plate, bronze sandblasted mirror stainless steel, sandblast stainless steel

Floor: Marble



KS04

Ceiling: PVD coating Black mirror stainless steel, PVD coating Black hairline stainless steel

Car wall: wooden plate, PVD coating Black mirror stainless steel, mirror etching stainless steel

Floor: Marble



PANORAMIC CABIN



KG01
Up and bottom cover: Hairline stainless steel
Panoramic wall: Laminated tempered glass
Ceiling: Stainless steel with acrylic transparent plate
Car wall: Hairline stainless steel
Handrail: Mirror stainless steel
Floor:PVC



VE07
Up and bottom cover: PVD gold mirror stainless steel
Panoramic wall: Laminated tempered glass
Ceiling: Mirror stainless steel with acrylic transparent plate
Car wall: PVD coating gold mirror stainless steel
Handrail: Mirror stainless steel
Floor: PVC



KG03
Up and bottom cover: Hairline stainless steel
Panoramic wall: Laminated tempered glass
Ceiling: Stainless steel with acrylic transparent plate
Car wall: Hairline stainless steel
Handrail: Mirror stainless steel
Floor: PVC



KG07
Up and bottom cover: PVD black hairline stainless steel
Panoramic wall: Laminated tempered glass
Ceiling: PVD black mirror stainless steel with acrylic transparent plate
Car wall: PVD black mirror stainless steel
Handrail: Mirror stainless steel
Floor: PVC



KG02
Up and bottom cover: Pentagon coating steel
Panoramic wall: Laminated tempered glass
Ceiling: White ceiling with LED light
Car wall: Hairline stainless steel
Handrail: Mirror stainless steel
Floor: PVC



KG06
Up and bottom cover: Hairline stainless steel
Panoramic wall: Laminated tempered glass
Ceiling: Hairline stainless steel with LED light
Car wall: Hairline stainless steel
Handrail: Hairline stainless steel
Floor: PVC



KG04
Up and bottom cover: Acrylic dome cover and painted steel plate, painted and stainless steel coaming and decorative lights
Panoramic wall: Laminated tempered glass
Ceiling: White ceiling with LED
Car wall: Hairline stainless steel
Handrail: Mirror stainless steel
Floor: PVC



KG05
Up and bottom cover: Painted steel with decorative strip
Panoramic wall: Laminated tempered glass
Ceiling: White ceiling with LED light
Car wall: Hairline stainless steel
Handrail: Mirror stainless steel
Floor: PVC

OPERATION PANEL



MCOP01-C
Characteristics

Stainless steel panel
Integrated structure
LCD display



MCOP02-Y
Characteristics

Stainless steel panel
Separated structure
LCD display



MCOP22

Characteristics


Black matching with white makes it more elegant;
Narrow border and super-thin design shows its
simplicity and exquisiteness



MHOP24



MHOP22



MHOP25



MHOP22D

Characteristics

Acrylic material,
different light options



MFD01



MFD02




MCOP21




MHOP21

Characteristics

4mm tempered glass with
frame, protruding cabin wall 14mm,
strong 3-dimensional design,
customized button design with floor
information, suitable for hotels, office
buildings etc.



MCOP20



MHOP20

Characteristics

Touch screen with glass panel
Embedded structure
Applicable to different cabin styles



MHOP21



MHOP23



MHOP23D



MHOP03-Y
Characteristics

Hairline stainless steel panel
Embedded structure



MHOP05-Y
Characteristics

Anti-fingerprint matte panel
wall mounted structure

OPERATION PANEL



MCOP24

Characteristics

Anti-fingerprint hairline stainless panel. 15' inch TFT. Elegant, beautiful and intelligent. UI interface, which can be changed according to different requirements.



MCOP25

Characteristic

Anti-fingerprint hairline stainless panel. The buttons are highlighted with a metal edge which improves the quality. The transparent pressing button demonstrate an aesthetic sense of harmony.



MCOP50

Characteristics

4mm tempered glass with frame, protruding cabin wall 14mm, strong 3-dimensional design, customized button design with floor information, suitable for hotels, office buildings etc.



MHCB01



MHOP26



MHOP27



MHOP28



MA01



MA02



MA03



MA04



MA105



MA06



MA07



MA08



MA09



MA10



MA11



MA12



MA13



MA14



MA15



MA16



MA17



MA18



MA19

DOOR JAMB



M-MT-01

Narrow door jamb
Hairline stainless steel
(Please contact us for more materials)



M-MT-02

Straight big door jamb
Hairline stainless steel
(Please contact us for more materials)



M-MT-03

Straight big door jamb with transom
Hairline stainless steel
(Please contact us for more materials)



M-MT-04

Tilted big door jamb with transom
Hairline stainless steel
(Please contact us for more materials)

LANDING DOOR/HANDRAIL/FLOOR SERIES

Optional Landing door series



M-M-02
Mirror/Hairline etching plate



M-M-03
Mirror/Hairline etching plate



M-M-04
Mirror/Hairline etching plate



M-M-07
Mirror/PVD gold etching plate



M-M-08
Mirror/etching plate



M-M-09
Mirror/PVD etching plate

HANDRAIL



M-FY-01
Standard
Stainless steel, matte



M-FY-03
Optional
Mirror stainless steel, triple



M-FY-05
Optional
Stainless steel, round arc



M-FY-02
Optional
Golden finish stainless steel, matte



M-FY-04
Optional
Golden finish stainless steel, triple



M-FY-04
Optional
Golden finish stainless steel, round arc


Painting Color



M-SC-01
Gray




M-SC-02
Brige




M-SC-03
Green


Floor color




M-P-07
Standard



M-P-08
Standard




M-P-09
Standard



M-P-10
Standard



M-P-11
Optional



M-P-12
Optional

CEILING SERIES

Ceiling series
(Standard)



M-D-Y01

Mirror Stainless Steel



M-D-Y02

Mirror Stainless Steel



M-D-Y03

Mirror Stainless Steel

(Optional)



M-D-01

Double acrylic transparent board with LED light



M-D-02

Middle with Arched Light-transmitting board , both Sides Stainless Steel with diamond-shaped light



M-D-03

Stainless Steel with Square transparent panel, both sides with LED Light



M-D-05

Stainless steel with transparent panel, both sides with LED light



M-D-09

Middle with arched transparent panel, both sides stainless steel with LED Light.



M-D-12

PVD gold stainless steel with acrylic transparent panel



M-D-13

Round ceiling with soft lighting




M-D-14

Round glass design with soft lighting



M-D-15

Middle with White Ceiling Light and around with soft downlight



M-D-16

Round stainless steel ceiling with soft lighting



M-D-17

Round stainless steel ceiling with soft lighting



M-D-18

Round stainless steel ceiling with soft lighting

FUNCTION

STANDARD

(01) Direct docking	(25) Forced door closing
(02) Best curve auto-generated	(26) Repeat door closing
(03) Double click buttons to cancel false calls	(27) Door opening & closing buttons
(04) Full collective selective control	(28) Service floor door opening
(05) Remote monitoring interface	(29) Overload protection
(06) Motor parameter self-learning	(30) Anti reversal protection
(07) Shaft parameter auto tuning	(31) Car Inside emergency light
(08) Auto-adjusting floor height data	(32) Running time protection
(09) Auto-adjusting car cabin position	(33) Terminal runby protection
(10) Automatic rescue leveling	(34) Contact adhesion protection
(11) Incoming call automatic recovery operation	(35) Motor over-current and overload protection
(12) Running direction display	(36) Over voltage protection
(13) Elevator state display	(37) Encoder failure protection
(14) Pit & Car top emergency stop operation	(38) Failure record
(15) Inverse cancelling	(39) Safety curtain light protection
(16) Attendance service	(40) Overspeed protection upstream and downstream
(17) Car cabin alarm Bell	(41) Five way intercom device
(18) Reserved with Fire linkage function interface	(42) Running counter
(19) Full load bypass	(43) Weight signal compensation
(20) Home floor automatic return	(44) Car top inspection and control cabinet emergency electric operation
(21) Light & Fan automatic turn off	(45) Reserved with CCTV Cable
(22) Lock the lift	(46) Reserved with remote control interface
(23) Automatic door opening/closing	(47) Car inside LED energy-saving lighting
(24) Set the door opening time	

OPTIONAL

(01) Power failure emergency operation	(05) Handicapped COP
(02) Voice announcement	(06) IoT remote monitoring
(03) Air conditioner	(07) IC card
(04) Duplex control	(08) Fire emergency homing

CLIENTS AND PARTNERS

WORLD TOP 500 ENTERPRISES

 中国烟草 CHINA TOBACCO	 中国石化 SINOPEC 中国石化	 五粮液	 中国建设银行 China Construction Bank	 中国建筑 CHINA STATE CONSTRUCTION	 AGILE 雅居乐
CHINA TOBACCO	CHINA SINOPEC	WULIANGYE	CHINA CONSTRUCTION BANK	CHINA STATE CONSTRUCTION	AGILE REAL ESTATE
 武商集团	 招商局 CHINA MERCHANTS GROUP 創辦於1872年	 Gemdale 金地集团	 奥园	 保利地产	 CSIC
USHANG GROUP	CHINA MERCHANTS GROUP	GEMDALE GROUP	AOYUAN GROUP	POLY REAL ESTATE	CSIC
 海马汽车	 CGGC 中国葛洲坝集团	 中交地产	 中国南方电网 CHINA SOUTHERN POWER GRID	 中粮 COFCO 自然之道 惠泽全球	 碧桂园 COUNTRY GARDEN
HAIMA AUOTMOILE	CHINA GEZHOUBA GROUP	CCCG REAL ESTATE	CHINA SOUTHERN POWER GRID	COFCO	COUNTRY GARDEN
 中選地產	 福晟集团 FUSHENG GROUP	 华润啤酒	 旭辉集团 用心构筑美好生活	 科伦药业 KELUN PHARMACEUTICAL	 WENS 温氏
ZHONGDA REAL ESTATE	FUSHENG GROUP	CRB	XUHUI GROUP	KELUN PHARMACEUTICAL	WENS

PROJECT REFERENCES

INTERNATIONAL PROJECT REFERENCES



Indonesia Yogyakarta Hotel



Vietnam Vinsmart Factory



Thailand Baokhun Temple



Mexico Commercial Building



Bahrain Juffair Tower



Indonesia Sleman City Mall



Cambodia PPIU
(Phnom Penh International Universty)



Malaysia City of Green



Thailand Regent Tower ABCD



Indonesia Jogja City Mall



Bangladesh Residencial Apartment




Thailand Regent Tower ABCD



Georgia Oasis Hotel



Thailand Phuket Terminal



Thailand Chachoengsao Plaza

DOMESTIC PROJECT REFERENCES



Datengxia Water Conservancy
Guangxi Province



Qinzhou Prison, Guangxi Province



Ganzhou Economic and
Technological Development Zone
People's Government, Jiangxi Province



Lingtai Sports Center
Pingliang City, Gansu Province



People's government of Sanxiang,
Zhongshan, Guangdong Province



Bureau of Government Offices Administration
Huangdao, Qingdao, Shandong Province



Liuhe County Civil Affairs Bureau,
Jilin Province



Bureau of Housing and urban-rural
Development, Huaiyin, Huaian, Jiangsu



Bureau of Health and Hamily Planning,
Yangxin, Hubei Province




Civil Affairs Bureau of Guangrongyuan,
Tunchang, Hainan Province



Animal Husbandry Bureau, Huangpi, Hubei



Civil Affairs Bureau,
Xinfeng county, Jiangxi Province



Bureau of Retired Veteran Cardres of Tancheng
County Municipal Committee, Shandong



Justice Bureau of Qiubei County,Yunnan



Maritime Safety Administration, Zhongshan

DOMESTIC PROJECT REFERENCES



Hubei Provincial Department of Justice



Real Estate Management Center of Gansu Government Offices Administration



Civil Affairs Bureau of Jinta County, Gansu Province



Gaoming Prison, Guangdong Province



Army Station in Shenzhen, Guangdong Province



Qujiang Public Security Bureau, Shaoguan, Guangdong Province



Public Security Bureau, Qingzhou, Guangxi Province



Civil affairs bureau of Jiangzhou District, Chongzuo City, Guangxi Province



People's Court of Fuchuan Yao Autonomous County, Guangxi Province



Rehabilitation Center, Zhongshan City, Guangdong Province

DOMESTIC PROJECT REFERENCES



The 5th Affiliated Hospital Sun Yat-Sen University, Guangdong Province



Lianying Medical Headquarters, Wuhan, Hubei Province



Aier Eye Hospital, Changde, Hunan



Fangchenggang City Hospital of Traditional Chinese Medicine, Guangxi



Dongying Bonesetting Hospital, Shandong Province



The 2nd people's Hospital, Chenzhou city, Hunan province



Beihai Maternal and Children Health Hospital, Guangxi Province



Banfu Hospital, Zhongshan, Guangdong province



Jingxi Maternal and Children Health Hospital, Guangxi



The first people's hospital in kashgar of Xinjiang province, affiliated to Guangzhou Xincheng Hospital



Family Planning Service Center, Shenzhen, Guangdong Province



Lichuan County People's Hospital, Jiangxi



Jingyuan County People's Hospital, Gansu



Second Hospital of Shandong University



Lancang People's Hospital Yunnan Province

DOMESTIC PROJECT REFERENCES



China Post Express logistics Co. Ltd,
Guangxi Branch



Agricultural Bank of China,
Yidu Branch



Huizhou Power Supply Bureau of
Guangdong Power Grid Co. Ltd



Shanwei Power Supply Bureau of
Guangdong Power Grid Co. Ltd.



Bank of China,
Fangchenggang branch



Zhanjiang Power Supply Bureau of
Guangdong Power Grid Co. Ltd.



China Mobile Communications
Group, Jiaozuo branch, Henan



China Resources Cement Co. Ltd, Guangdong



Wuliangye Co. Ltd.



Juxianyuan Garden, Linzhou
City, Henan Province



Housing Security Management Center
Feng county, Shaanxi Province



Nanning Railway Bureau Liuzhou Power



Haima Automobile Zhengzhou Base



International Agricultural Products
Trading Center, Guigang, Guangxi



Housing and urban-rural development
Bureau of Jiyuan City, Henan Province

DOMESTIC PROJECT REFERENCES



Wangfujing Department Store,
Foshan City, Guangdong Province



Hampton Hotel



Jiukouyan International Square,
Hunan Province



Yufeng Aloes Creative Industrial Park,
Maoming



Hubei Wufeng International Ski Resort



Tianyi East, Nanchong City,
Sichuan Province



Weipushi Medical Technology Co. Ltd,
Henan Province



Guangxi Dream Hotel
Management Co. Ltd



Shanwei Doctor Medical Science and
Technology Park, Guangdong Province



Guangxi Luchuan City Convenient Hotel



Guangdong Xinghe
Commercial Chain Co. Ltd.



Daxin Commercial Center,
Zhongshan City, Guangdong Province



Red Star Macalline, South District,
Zhongshan City, Guangdong Province



Vienna Hotel



Nanhai Oil Hotel, Zhuhai City,
Guandong Province

DOMESTIC PROJECT REFERENCES



Sun Yat-Sen University Zhuhai College



Guangxi Medical University



Dezhou No.1 Middle School



Fangchenggang City High School



Guangdong Zhongshan Experimental Middle School



Guangxi Nanning City No.36 Middle School



Haikou No.2 Middle School



Henan Traffic vocational and Technical College



Jiangxi Ganzhou No.3 Middle School



Qingdao University of Science and Technology



Anhui Radio and Television University Chuzhou branch



Zhongshan Dongsheng Town Senior Middle School

DOMESTIC PROJECT REFERENCES



Junhong new City, Langzhong City, Sichuan Province



Jiangzhou Huafu, Jiujiang City, Jiangxi Province



Lushan Happiness, jiujiang City, Jiangxi Province



No.1 Xuefu, Yancheng City, Liangsu Province



Block 1, Jiuteng, Mianyang City, Sichuan Province



Fujianxiang County, Chongqing City, Sichuan Province



Fengling Garden, Nanning City, Guangxi Province



Fujue Garden, Chuzhou, Anhui Province



Qilin Huafu, Baise city, Guangxi Province



jiuTai Xuefu Mingdu, Jining city, Shandong Province



Wulan Town of etok banner, Zhenglong Homeland



Hengfu Shuxiang Garden, Yining City, Xinjiang Province