

AUTHORIZED SOLE AGENT:
















MAGLIVE ELEVATOR CO., LTD

Copyright ©MAGLIVE ELEVATOR CO., LTD.All Right Reserved

ADDRESS: Nanxun Economic Development Zone, Huzhou, Zhejiang, China.

www.mag-live.com E-mail: info@mag-live.com Tel: +86 572 2600110



LEADER OF TOP INNOVATIVE ELEVATOR BRAND

Countless magical spaces
Popular, graceful, concise with high grade
A free and brand-new experience for you New life promotion



About MAGLIVE THE GLORY OF AN URBAN LEGEND

MAGLIVE Elevator Co.,LTD., is a focus on the global elevator development and manufacturing of elevators and escalators covers an area of 120,000 sq.m, the first phase construction area of 80000 square meters, with a total investment of 90 milion dollars. Company set product development design, manufacturing, sales, installation, maintnance in a body with height of 108 meters, the elevator speed 8 m/s installed inside the test tower. With annual output of 30000 sets of manufacturing capabilities, MAGLIVE is facing the global market of elevators and escalators of large enterprises company. The system is superior, serves all over the world, MAGLIVE elevator products with international standards and accurate market positioning, fine operation, landmarks in China to provide first class passenger flow solutions, we will work to build a world-class manufacturing base in China, for the market to provide product; and services for the meet and exceed customer, creating perfect.

The company has fully introduced the world's leading production equipment & technical team inherited the product quality and cultural connotation . with elevator market competitiveness.

We are of abundant manufacturing strength & flexible innovation ideas. Good reputation of MAGLIVE comes upon high quality guarantee. It is established upon the basis of excellent service.

MAGLIVE will create infinite values for extensive clients by remarkable reputation prompt & considerate services.

- Advanced Elevator Technology R & D Center
- The leader in the field of ultra-high-speed elevator
- Industry 4.0 modern base
- World leading elevator supplier



ENTERPRISE DEVELOPMENT HISTORY

1989

It established manufacture enterprise for elevators and various models of elevator & escalator parts assembly in China



2004

and obtains Class-A Elevator Manufacture & Installation Qualifications in China



2012

Multiple MAGLIVE elevator series have been awarded "International Standard Product Logo Certificate". A wholly-owned Taiwan, Hong Kong and Macau legal person was added to promote the future development of the industry.



2015

Nearly 100m super high speed elevator test tower has been built. It lays a solid foundation for the R&D of super high speed elevators. Third-phase factory houses have been completed. It can annually manufacture 10,000 elevators. It rapidly quickens its competitive power in global market.



2019

es top production technology, but also establishes a strategic cooperation alliance with Hong Kong to join hands in integrating regional advantages, adhere to innovation for development, and rely on technology to shape the brand and open an infinitely bright future. Passed ISO9001 quality management system certification, ISO14001 environmental management system certification, OHSAS18001 occupational health and safety management system certification.

MAGLIVE not only introduc-



2022

MAGLIVE has added a home intelligent series, creating a comfortable and intelligent living space and realize your pursuit of home.



2024

Optimize the "manufacturing+service" chain and launch a full lifecycle management platform.







To be continued

1

2002

Representatives of foreign Investor visited Jiangsu, China. It reinforces communication and development in elevator industry and technology.



2008

MAGLIVE comprehensively upgraded its production supervision.



2014

It has been appraised "High & New Tec Enterprise", "Sci-Tech Style Enterprise" "High & New Tech Products" etc.



2016

More energy has been invested in developing green and energy-saving elevators, which is the 'dream of the world'. Practice the concept of energy conservation and environmental protection, and obtain the National Elevator Quality Certificate and National Elevator Energy Efficiency Certificate.



2020

Passed the assessment of the integration of informatization and industrialization management system, and completed the reassessment of high-tech enterprises.



202

MAGLIVE will launch intelligent elevator products that integrate IoT technology to achieve intelligent and technological implementation.



2025

Intelligent technology will be fully popularized, combined with AI, to make elevator rides safer, more efficient, and comfortable.



RELEASE THE POWER OF INTELLIGENT MANUFACTURING

MAGLIVE Elevator has a large manufacturing plant, and been equipped with various types of world-class modern production and manufacturing equipment, including laser cutting machine, digital multi-function punching machine, shearing machine, etc., thus to achieve the technicalization and precision machining, the professionals uphold the strict attitude, and adhere to the pursuit of excellence to work on every elevator components carefully.











IMPERATIVE CLOUD SUPERVISION


- ·Connect to the government platforms to meet the mandatory acceptance requirements
- ·Vibration data uploaded to the cloud to help predict faults throughout the life cycle
- ·Real-time transmission of elevator control data to grasp the elevator status
- ·The LAN solution satisfies local real-time monitoring

EFFICIENT AND ACCURATE CLOUD SERVICES

- ·Predictive maintenance with big data acquisition and analysis
- ·Door operator data uploaded to the cloud to address the chimney effect
- ·Remote shared commissioning to improve efficiency
- ·Encryption authentication and scientific control of accessories

EASY AND WORRY-FREE CLOUD PROTECTION


- Automatic tracking of emergency handling process
 In case of elevator fault, the G-Cloud platform will automatically create an emergency work order and send the alarm information to the maintenance personnel. The emergency handling process platform can automatically track the elevator status changes and automatically end the emergency handling process after the elevator fault is eliminated.
- Audio and video interactive services for emergency rescue
 The ESDT terminal supports video and IP calls. Rescue workers can view the trapped persons in the car through the web or APP side, and can establish a call with trapped persons, so as to comfort trapped persons and formulate safe rescue strategies.
- Al-assisted monitoring of safe passenger journey
 The ESDT terminal that supports video can also be mounted with Al cameras to realize the status monitoring and alarm of the electromobile entering the elevator, the number of passengers, manned and unmanned elevator, and long-term door stop, to further ensure safe passenger journey.
- Linked mobile device to achieve a smart and convenient journey
 MAGLIVE G-Cloud platform can open the elevator interaction interface for smart mobile devices such as smart phones, service robots and logistics robots to achieve an intelligent and convenient escalator journey.




It saves the building area and enhances the design freedom


Machine room is only extension of shaft. It needs no other space

It applies the advanced energy-saving technology. It can fulfill about 30% of energy-saving effects





Machine room in ordinary machine room elevator



SMALL MACHINE ROOM PASSENGER ELEVATOR

MACHINE ROOMLESS **PASSENGER ELEVATOR**







Optimized well design effectively saves 10% the building area


Green drive and energy-saving device save about 30% of energy

Machine room-less design brings about a freer and more relaxing building designers.





Machine room in machine roomless







CX-003 标配 Standard

吊顶: 镜面不锈钢, 亚克力透光板, LED筒灯

轿壁: 发纹不锈钢 轿门: 发纹不锈钢

扶手: 无

地板: D61087-P(PVC)
Ceiling: Mirror stainless steel,
acrylic-light-emitting panel, LED light
Car wall: Hairline stainless steel
Car door: Hairline stainless steel

Handrail: None Floor: D61087-P(PVC)



CX-004 标配Standard

吊顶:发纹不锈钢,LED灯带,LED筒灯

轿壁:发纹不锈钢 轿门:发纹不锈钢

地板: PVC/米色自然纹路大理石

Ceiling: Hairline stainless steel, LED light strip, LED light

Car wall: Hairline stainless steel

Car door: Hairline stainless steel Floor: PVC/marble with natural

/einc







HE-K023 选配 Optional

吊顶: 镜面不锈钢, 亚克力灯饰,

后壁: 镜面蚀刻不锈钢, 发纹不锈钢

侧壁: 发纹不锈钢 扶手:无

地板: PVC

Ceiling: Mirror stainless steel, acrylic lighting fixtures, LED

tube light

Back wall: Mirror etched stainless steel, hairline stainless steel Side wall: Hairline stainless steel

Handrail: None Floor: PVC



HE-K024 选配 Optional

吊顶:水波纹, LED 灯带, LED 筒灯

后壁: 镜面不锈钢, 冰咖灰3D缀纹板 侧壁: 镜面不锈钢, 冰咖灰3D缎纹板

扶手:无

地板: 米粒型不锈钢

Ceiling: Water ripple, LED light strip, LED tube light

Back wall: Mirror stainless steel, hairline stainless steel

Side wall: Mirror stainless steel. hairline stainless steel

Handrail: None

Floor: Rice grain stainless steel









HE-K026 选配 Optional

吊顶: 镜面不锈钢, 亚克力灯饰, LED 筒灯

后壁: 镜面蚀刻不锈钢, 发纹不锈钢

侧壁: 发纹不锈钢 扶手: 镜面不锈钢 地板: PVC

Ceiling: Mirror stainless steel frame with rose gold, acrylic decoration, LED lighting

Cabin wall: Mirror etching hairline stainless steel finish

Handrail:Mirror stainless steel

Floor:PVC







HE-K027 选配 Optional

吊顶: 镜面不锈钢. 亚克力透光板, LED 筒灯 后壁: 发纹不锈钢

黑钛镜面蚀刻不锈钢 侧壁: 发丝纹不锈钢, 镜面不锈钢

地板: PVC

Ceiling: mirror stainless steel, acrylic transparent board,

LED tube light

Back wall: hairline stainless steel hairline stainless steel, black titanium mirror etched stainless

steel

Side wall: hairline stainless steel, mirror stainless steel Handrail: None

Floor: PVC



HE-K028 选配 Optional

吊顶: 镜面不锈钢, 黑钛镜面不锈钢,筒灯 轿壁: 木纹彩牧钢板, 黑钛镜面不锈钢 轿门: 镜面不锈钢

Ceiling: Mirror stainless steel. black titanium mirror stainless steel.

轿底: PVC 地板

Car wall: Wood-grain color make-up panel, black titanium mirror stainless steel

Handrail: None

Car door: Mirror stainless steel

Car bottom: PVC







HE-K029 选配 Optional

吊顶:发纹不锈钢,亚克力透光板, LED 筒灯

轿壁: 发纹不锈钢, 镜面不锈钢, 镜面蚀刻不锈钢

地板: PVC

Ceiling: Hairline stainless steel, acrylic-light-emitting panel,

LED lamp

Car wall: Hairline stainless steel, mirror etched stainless ssteel, mirror etched stainless steel Floor:PVC



HE-K030 选配Optional

吊顶: 镜钢,深渊镜,射灯 轿壁: 木纹彩妆钢板, 镜面不锈钢, 镜面蚀刻不锈钢,大理石,工艺玻璃

扶手: 发纹不锈钢 地板: 大理石

Ceiling: Mirror steel, abyssal mirror, spotlight

Cabin wall: Laminated steel plate, mirror etched stainless steel, black strip

Handrail: Hairline stainless steel

Floor: Marble



720° Cabin View

ACCRECATE VALUE OF THE PARTY OF






HE-KO31 选配 Optional

吊顶: 镜面不锈钢. 亚克力透光板, LED灯 轿壁:发纹不锈钢, 镜面蚀刻不锈钢 扶手:无

stone/marble)

地板: PVC (选配人造石 / 大理石) Ceiling: Mirror stainless steel, acrylic panel, LED light Car wall: Hairline stainless steel, mirror etched stainless steel Handrail: None Floor: PVC (optional artificial



HE-K032 选配 Optional

吊顶: 镜面不锈钢, 亚克力灯饰,

轿壁:发纹不锈钢,镜面蚀刻不锈钢

扶手: 发纹不锈钢 地板: PVC 地板

Ceiling: Mirror stainless steel, acrylic lighting, LED light Car wall: Hairline stainless steel, mirror etched stainless steel Handrail: Hairline stainless steel

Floor : PVC Floor







HE-K033 选配 Optional

吊顶: 镜面不锈钢, 亚克力灯饰,

轿壁:发纹不锈钢,镜面蚀刻不锈钢

扶手: 发纹不锈钢 地板: PVC 地板

Ceiling: Mirror stainless steel, acrylic lighting, LED down light Car wall: Hairline stainless steel, mirror etched stainless steel Handrail: Hairline stainless steel Floor: PVC Floor



HE-K034 选配 Optional

轿壁: 镜面不锈钢, 镜面蚀刻不锈钢

地板: PVC

Ceiling:Mirror stainless

Car wall: Mirror stainless steel, mirror etched stainless steel Floor:PVC





HE-K035 选配 Optional

吊顶: 镜面不锈钢, 亚克力灯饰,

轿壁: 发纹不锈钢, 发纹不锈钢,

镜面蚀刻不锈钢 扶手:无

地板: PVC (选配人造石 / 大理石)

Ceiling: mirror

stainless steel, acrylic lighting decoration, LED light

Car wall: hairline

stainless steel, hairline stainless steel, mirror etched stainless steel

Handrail: None

Floor: PVC (optional artificial stone/marble)



HE-K036 选配 Optional

吊顶: 镜面不锈钢, 中间有机灯饰,

轿壁: 发纹不锈钢, 镜面蚀刻不锈钢

地板: 大理石 / PVC Ceiling: mirror

stainless steel, middle organic

lighting, LED lights

Car wall:hairline stainless steel, mirror

etched stainless

Floor: Marble/PVC









720° Cabin View

720° Cabin View

HE-K037 选配 Optional

吊顶:发纹不锈钢,亚克力透光板

LED 筒灯

轿壁: 镜面不锈钢, 镜面蚀刻不锈钢

地板: PVC

Ceiling: hairline stainless steel. acrylic lighting decoration Car wall: Mirror stainless steel etched mirror stainless steel Handrail: wood grain combination

handrail Floor: PVC



HE-K038 选配 Optional 吊顶: 木纹化妆钢板, 镜面不锈钢,

LED 灯带

后壁: 镜面蚀刻不锈钢, 木纹化妆钢板,

LED 灯带

侧壁: 木纹化妆钢板, 黑色装饰条,

LED 灯带

扶手: 发纹不锈钢扁扶手

地板: PVC

Ceiling: mirror stainless steel,

LED light strip

Back wall: Mirror etched stainless steel, HSS, LED light strip

Side wall: hairline stainless steel steel plate, black decorative strip,

LED light strip

Handrail:hairline stainless steel

flat handrail Floor: PVC













HE-K039 选配 Optional

吊顶: 古铜镰面不锈钢, 古铜发纹 不锈钢, 暗藏灯带, LED灯 轿 壁: 古铜镜面蚀刻, 古铜发纹不锈钢,皮革硬包,

暗藏灯带 扶 手: 古铜扁扶手

地板: PVC

Ceiling: Bronze mirror stainless steel, bronze hair pattern stainless steel, hidden light band, LED lamp

Car Wall: Bronze mirror, stainless steel etching, bronze hairline stainless steel, leather hard package, hidden light belt Handrail: Bronze flat handrail

Flooring: PVC



HE-KO40 *** Optional

吊顶: 镜面不锈钢, LED灯 轿壁: 仿木纹彩饰板, 古铜镜面蚀刻不锈钢

扶手: 古铜三角扶手 地板: PVC

Ceiling: Bronze mirror stainless steel,

Car wall: Imitation wood grain color decorative board, bronze mirror etching stainless steel Handrail: Bronze triangle armrest

Floor: PVC









HE-KO41 选配 Optional

吊顶:发纹不锈钢,浅古铜镜面不锈钢 亚克力灯饰

轿壁:发纹不锈钢,浅古铜镜面不锈钢 木纹钢板


扶手:扁扶手暗藏灯带

地板: PVC

Ceiling: Hairline stainless steel, light bronze mirror stainless steel, acrylic lighting

Car Wall: Hairline stainless steel, light bronze mirror stainless steel, wood grain steel plate Handrail: Flat handrail hides lamp belt

Flooring: PVC



HE-K042 选配 Optional

吊顶: 古铜发纹不锈钢底板, 古铜镜面 不锈钢吊顶, 4个筒灯 四周暗藏灯带 轿壁:中间古铜镜面蚀刻不锈钢,侧边 古铜发纹不锈钢

轿门: 古铜发纹不锈钢

地板: PVC

Ceiling: Bronze hairline stainless -steel floor plate, bronze mirror stainless-steel ceiling4 downlights, hidden light strips around Car wall: Middle part is bronze mirror etching stainless steel.two side Bronze hairline stainless Car door: Bronze hairline stainless steel Floor: PVC





720° Cabin View



HE-K043 选配 Optional

吊顶:四周黑钛金属装饰。 亚克力透光照明

轿壁: 古铜镜面不锈钢, 古铜拉丝不锈钢, 喷砂玻璃

地板: PVC

Ceiling: Black titanium metal decoration around, acrylic transparent lighting Car wall: Bronze mirror stainless steel, bronze brushed stainless steel.

sandblasted glass Floor: PVC



HE-K044 选及Optional

吊顶: 古铜色镜面不锈钢.

亚克力透光板

轿壁: 古铜色镜面蚀刻不锈钢, 黑钛金镜面不锈钢

轿门: 古铜色发纹不锈钢 轿底: PVC 地板

Ceiling: Bronze mirror stainless

steel, acrylic transparent

Back wall: Bronze mirror etched stainless steel, black titanium mirror stainless steel

Floor: PVC







吊顶: 古铜镜面不锈钢, 暗藏灯带

后壁: 化妆钢板, 古铜镜面不锈钢 侧壁: 古铜发纹不锈钢,

Ceiling: Bronze mirror stainless steel, hidden light strip,

Back wall: Makeup steel plate, bronze mirror stainless steel

stainless steel





720° Cabin View



HE-K046 选配 Optional

吊顶:金属烤漆造型,LED灯带 LED 筒灯

后壁: 化妆钢板, 木纹装饰条, 暗藏灯带 侧壁: 化牧钢板, 木纹化牧钢板

扶手:黑钛不锈钢扁扶手,暗藏灯带

地板: PVC

Ceiling: Metal baking paint shape, LED light strip, LED spot light Back wall: Makeup steel plate, wood grain decorative strip,

hidden light strip Side wall: Makeup steel plate, wood

grain cosmetic steel plate Handrail: Black titanium stainless steel flat handrail, hidden light strip Floor: PVC





HE-KO47 选配 Optional

吊顶: 发纹不锈钢, 亚克力喷绘板,

后壁: 玫瑰金镜面不锈钢, 木纹化牧钢板, 暗藏灯带

侧壁: 木纹化妆钢板, LED 灯带

地板: PVC

Ceiling: Rose gold mirror stainless steel, acrylic spray painted board,

LED light

Back wall: Rose gold mirror stainless steel, wood grain cosmetic steel plate, hidden

light strip

Side wall: Wood grain cosmetic steel plate, LED light strip

Floor: PVC







HE-K049 选配 Optional

吊顶: 镜面不锈钢

轿壁: 镜面不锈钢, 木纹钢板

地板: PVC

Ceiling:Mirror stainless

Car wall: Mirror stainless steel. wood grain steel plate

Floor: PVC



720° Cabin View



HE-K048 选配 Optional

吊顶:香槟金镜面不锈钢,

亚克力透光板,LED灯

香槟金镱面蚀刻不锈钢

地板: 大理石

Floor: Marble

轿壁: 香槟金发纹不锈钢,

扶手: 香槟金不锈钢单管扶手

Ceiling: Coated steel plate, acrylic

light - emitting panel, LED lighting

Car wall: champagne gold hairline

Handrail: champagne gold hairline

stainless steel single pipe handrail

stainless steel, champagne gold

mirror etched stainless steel

吊顶: 古铜镜面不锈钢, 条形LED筒灯 轿壁: 古铜镜面不锈钢, 木纹不锈钢, 古铜交叉布纹不锈钢

扶手: 古铜镜面不锈钢 地板: PVC / 大理石

Ceiling: Bronze mirror stainless steel, strip light, LED downlight Car wall: Bronze mirror stainless steel, brass cross woven-design stainless steel, wood grain stainless steel Handrail: Bronze mirror

stainless steel Floor: PVC/Marble



HE-K051 选配 Optional

吊顶: 软膜天花

轿壁: 黑钛镜面不锈钢, 暗藏灯带 大理石纹不锈钢,黑钛磨砂不锈钢 地板: PVC (选配人造石 / 大理石)

Ceiling: Soft film ceiling Car wall: Titanium black hairline stainless steel, marble patteerned stainless steel, titanium black matte finishing stainless steel Floor: PVC (optional artificial stone/marble)



HE-K052 选配 Optional

吊顶: 古铜色镜面不锈钢, 亚克力透光板, LED灯

轿壁: 古铜色镜面蚀刻不锈钢 黑钛金镱面不锈钢

轿门: 古铜色发纹不锈钢 轿底: PVC 地板

Ceiling: Bronze mirror stainless steel, acrylic transparent plate,

LED lighting Car wall: Bronze mirror etched

stainless steel, Bronze mirror stainless steel

Car door: Bronze hairline

stainless steel

Car bottom: PVC floorboard





吊顶:钢板烤漆,黑钛不锈钢,LED灯 轿壁:木饰面,黑钛不锈钢,马赛克

扶手: 圆木扶手+金属装饰

地板: PVC 地板

Ceiling: Steel plate baking paint, black titanium stainless steel,

LED lights

Car wall: Wood finish, black titanium stainless steel, Mosaic Handrail: Log handrail+

metal trim Floor: PVC Floor



HE-K054 选配 Optional

吊顶:四周不锈钢装饰, 中间亚克力透光板

轿壁:透光艺术玻璃,黑钛喷砂, 不锈钢金属造型, 暗藏灯带

扶手: 金属扶手 地板: PVC 地板

Ceiling: Stainless steel decoration around, acrylic transparent panel


in the middle


Car wall: Transparent art glass, black titanium sandblasted, stainless steel metal shape, hidden lamp belt Handrail: Metal handrail

Floor : PVC Floor











Different model designs

Various types of cars are available for your choice and can meet different needs.

MAGLIVE panoramic elevator applies highly secure laminated glass cabin wall material.It prevents from energy loss with effective sound-isolation.It adopts large-area cabin wall glass to create the best sight-seeing vision. It is smooth in outline design. It adds extra beauty and charm for the building in the travel process.







shaped

Cutting-angle-type

Square shaped

Future prospects

Graphic red line part shows observation face transparent glass.

PANORAMIC ELEVATOR CAR DECORATION



PR-007 标配 Standard

上下罩: 无

分体吊顶: 发纹不锈钢+亚克力板+节能灯 轿壁: 发纹不锈钢+夹胶玻璃

前壁: 发纹不锈钢 轿门: 发纹不锈钢 操纵箱: 一体式, 发纹不锈钢 扶手: 不锈钢圆扶手

地板: 大理石拼花或PVC

Upper and lower guard: None Split ceiling: Hairline stainless steel+ acrylic plate+energy-saving lamp

Car door: Hairline stainless steel

Car wall: Hairline stainless steel+laminated glass Front wall: Hairline stainless steel

20° Cabin View



PR-008 选配 Optional

上下罩: 蓝色钢板烤漆+发纹不锈钢+亚克力板装饰+节能灯

分体吊顶:上层钢板烤漆+ 下层发纹不锈钢+LED灯 轿壁:发纹不锈钢+夹胶玻璃

新生: 及玖不锈的干产成级海 前壁: 发纹不锈钢 轿门: 发纹不锈钢 操纵箱: 一体式, 发纹不锈钢

操纵相:一体式,反纹不韧 扶手:不锈钢圆扶手 地板:大理石拼花或PVC

Upper and lower guard: Blue steel plate baked enamel+hairline stainless steel + acrylic plate decoration + energy-saving lamp Solit ceiling: Upper steel plate baking

paint+lower hairline stainless steel +LED lamp

Car wall: Hairline stainless steel + laminated glass

Front wall: Hairline stainless steel Car door: Hairline stainless steel



720° Cabin View



PR-009 选配 Optional

上下罩:钢板烤漆+装饰条

分体吊顶:发纹不锈钢+亚克力灯饰 +LED灯

新璧: 发纹不锈钢+夹胶玻璃 前璧: 发纹不锈钢 轿门: 发纹不锈钢 撮纵箱: 一体式, 发纹不锈钢

操纵箱:一体式,发纹不锈的 扶手:不锈钢三管圆扶手 地板:大理石拼花或PVC

Upper and lower guard: Steel plate paint+ decorative strips Split ceiling: Hairline stainless steel

+ acrylic lighting decoration+LED lamp Car wall: Hairline stainless steel+laminated

Front wall: Hairline stainless steel Car door: Hairline stainless steel



20° Cabin View



PR-0010 选配 Optional

上下罩: 发纹蚀刻不锈钢

分体吊顶: 发纹不锈钢+亚克力板+LED灯 轿壁: 镜面蚀刻不锈钢+夹胶玻璃

前壁: 镜面不锈钢 轿门: 镜面不锈钢 操纵箱: 一体式, 镜面不锈钢 操纵箱: 一体式, 镜面不锈钢 断状: 木鸮石拼花或PVC

Upper and lower guard: Hairline etched stainless steel Split ceiling: Hairline stainless steel + acrylic plate+

LED lamp

Car wall: Mirror etched stainless steel+laminated glass Front wall: Mirror stainless steel

Car door: Mirror stainless steel



PR-0011 选配 Optional

上下罩:铜板烤漆+钛金发纹不锈钢+亚克力板装饰+节能灯

分体吊顶: 发纹不锈钢+亚克力板+LED灯

轿壁: 发纹不锈钢+夹胶玻璃 前壁: 发纹不锈钢 轿门: 发纹蚀刻不锈钢 操纵箱: 一体式, 发纹不锈钢 扶手: 不锈钢圆扶手: 水板式 大理石拼拢或PVC

Upper and lower guard: Steel plate paint+Titanium mirror stainless steel+acrylic panel decoration+

energy-saving lamp

Split ceiling: Hairline stainless steel + acrylic plate+

LED lamp

Car wall: Hairline stainless steel+laminated glass

Front wall: Mirror stainless steel

Car door: Hairline etched stainless steel



720° Cabin View



PR-0012 选配 Optional

上下罩: 发纹不锈钢+亚克力板装饰+节能灯 分体吊顶: 发纹不锈钢+亚克力板装饰

+节能灯

轿壁: 发纹不锈钢+夹胶玻璃 前壁: 发纹不锈钢

新门:发纹不锈钢 操纵箱:一体式,发纹不锈钢 扶手:不锈钢圆扶手

地板: 大理石拼花或PVC Upper and lower guard: Hairline stainless steel+ acrylic panel decoration+energy-saving lamp

Split ceiling: Hairline stainless steel+ acrylic panel decoration+energy-saving lamp Car wall: Hairline stainless steel+laminated glass

Front wall: Hairline stainless steel
Car door: Hairline stainless steel



7200 Cable Mar





BY-02

标配 Standard

吊顶:喷涂钢板,LED照明 轿壁: 发纹不锈钢 扶手: 发纹形不锈钢

地板: PVC

Ceiling: Hairline stainless steel

LED lighting

Car wall: Hairline stainless steel Handrail: flat stainless steel





DX-004



DX-003







Large door opening width space design

STRETCHER ELEVATOR

Human-centered Design, Rich Functions It satisfies the needs of emergency patient delivery. It applies human-centered design. It is equipped with a full set of top grade equipment. It travels smoothly and comfortably with broad and bright car. It has ordinary passenger carrying functions. Furthermore, it can hold stretcher. Meanwhile, it offers great conve-nience for people to carry large furniture.

HOSPITAL ELEVATOR

You feel very much this wonderful human-centered world through our sweet caring

MAGLIVE hospital elevator not only delivers passengers. Because of its special use, it has special and strict requirements to use and functional properties of elevators. MAGLIVE hospital elevator accurately controls elevator running speed. It is smooth and comfortable in operation. It creates a peaceful and graceful space for broad passengers.





THE FIRM AND DURABLE CABIN

High strength plate ensures the firm and durable cabin. In addition, MAGLIVE freight elevator specially designs crash barrier to implement multi-protection to the cabin.

HIGHLY ACCURATE LEVELING

Leveling accuracy can be controlled within millimeter-sized range.


ENERGY-SAVING

Frequency conversion freight elevator applies VVVF and speed regulative technology. It thus greatly reduces the elevators running power consumption and power supply capacity. Compared with the traditional AC-2 speed type elevator, it can save 30%-50% energy.

LARGE DOOR WIDTH

Adopt multi-panel cabin doors to reach the maximum door opening width, making it easy for handing large goods.

FREIGHT ELEVATOR CAR DECORATION



FX-004 标配 Standard

轿顶: 喷涂钢板 通风: 圆形风扇 轿壁: 喷涂钢板 轿门: 喷涂钢板

地坎: 钢板折弯/钢板刨槽(选配) 地板: 花纹钢板

Ceiling: Paint steel Ventilation: Round fan Car wall: Paint steel Car door: Paint steel Sill: Bent steel plate / steel plate planer (optional) Floor: Pattern steel plate



FX-005 选配 Optional

轿顶: 发纹不锈钢 通风: 圆形风扇 轿壁: 发纹不锈钢 轿门: 发纹不锈钢

地坎: 钢板折弯/钢板刨槽(选配)

地板: 花纹钢板

Ceiling: Hairline stainless steel Ventilation: Round fan Car wall: Hairline stainless steel Car door: Hairline stainless steel Sill: Bent steel plate / steel plate planer (optional) Floor: Pattern steel plate







0





WH-06

LANDING DOOR



Center opening



Side opening



Double - folded center opening type



FLOOR



COLOR CARD SERIES




CRASH BARRIER





MAN-MACHINE INTERFACE





SP-011



^

~



SP-012 SW-012

MADELYS -AS: NA & NS 100 Fo NAME













(4)

21) (22)

19 20

17 (18)

15 (16)

13 14

11 12

9 10

SP-014



SW-014









SP-013

MARRIVE

.....




[\$]

*

MAN-MACHINE INTERFACE








CEILING SERIES



CZ-009 Optional



CZ-012 Optional



CZ-015 Optional



CZ-018 Optional



CZ-010 Optional



CZ-013 Optional



CZ-016 Optional



CZ-019 Optional



CZ-014 Optional



CZ-017 Optional



CZ-020 Optional

CEILING SERIES



CZ-021 Optional



CZ-024 Optional



CZ-022 Optional



CZ-025 Optional



CZ-023 Optional




CZ-026 Optional

HANDRAI SERIES



FLOOR SERIES



DP-017 Optional



DP-018 Optional



DP-019 Optional



DP-020 Optional



l DP-021 Optional



DP-022 Optional



DP-023 Optional



DP-024 Optional



DP-025 Optional



DP-026 Optional



DP-027 Optional



DP-028 Optional



DP-029 Optional



DP-030 Optional



DP-031 Optional

HALL DOOR SERIES



GD-007 Optional Titanium hairline stainless steel



GD-008 Optional Mirror stainless steel



GD-009 Optional



GD-010 Optional



GD-011 Optional



GD-012

Optional



GD-013 Optional



GD-014 Optional

FLOOR TRANSOM DISPLAY















VL-011


VL-012


VL-013






2-LEAFS CENTER OPENING PERMANENT MAGNET **SYNCHRONOUS DOOR OPERATOR**





2-LEAFS SIDE OPENING VVVF **SYNCHRONOUS DOOR OPERATOR**








HOME LIFT

THE PERFECT AND COMFORTABLE LIFE

Safe home lift provides you with comfortable enjoyment. Multiple comfortable experiences are small in noise and convenient in installation. It fulfills a magical and wonderful household environment for you. Also the elderly, sick, disabled home the best on the lower transport.

OPENING MODE

A variety of ways to open the door for you to choose to meet your different needs.





Manually operated door



Center-opening door





STEEL BELT TRACTION VILLA ELEVATOR

ADVANTAGES OF SPECIAL - PURPOSE HOME -USE STEEL BELT TRACTION MACHINE

- · Lightweight, with low requirements for the hoistway.
- · Small in size, occupying less space.
- · Built in brake, resulting in lower noise.
- Low requirements for the top floor height.

SPECIAL - PURPOSE STEEL BELT

- With a polyurethane material layer, it requires no lubrication and generates low noise.
- Its service life is 2 to 3 times that of traditional steel wire ropes.
- It is more flexible, increasing the contact area with the driving wheel.
- · More energy efficient and highly effective.



Steel belt type villa elevator

ALUMINUM ALLOY WELL FRAME

Independent frame glass design does not add any extra building cost with fine light - transparency. It integrates with indoor decoration into one with optional installation position, anti - corrosion and long life cycle. It chooses industrial class aluminum alloy. Glass applies safety laminated glass.



HIGH GRADE PAINTED ALUMINUM ALLOY FRAME







Champagne gold





GLASS CLADDING









Fully transparent Grey transparent Brown transparent





ELEVATOR DECORATION



HE-V033

吊顶: 烤漆钢板, LED 筒灯, 暗藏灯带

轿壁: 香槟金不锈钢, 大理石岩板, 暗藏灯带, 仿木纹装饰板

扶手: 金属扶手

地板: PVC (大理石可选) Ceiling: Paint steel plate,

LED downlight,

hidden lamp belt Car wall: Champagne gold stainless steel, marble slate, hidden lamp belt, wood like decorative board

Handrail: Metal handrail Floor:PVC (optional marble)



HE-V035

装饰玻璃

扶手:无

吊顶: 镜面水波纹不锈钢,

玫瑰金发纹边框,暗藏灯带

地板: PVC (可选大理石)

Ceiling: Mirror water ripple

stainless steel, rose blonde

border, hidden light strip

stainless steel (optional)

Floor: PVC (optional marble)

with rose gold trim,

decorative glass

Handrail:None

Car wall:Leather hard bag

Car door:Rose gold sandblasted

轿壁:皮革硬包搭配玫瑰金装饰条,

轿门: 玫瑰金喷砂不锈钢 (选配)



HE-V034


吊顶: 麦点布纹艺术钢板, 香槟金发纹不锈钢, 线型灯 轿壁:麦点布纹艺术钢板, 布艺钢板,黑钛镜面装饰条, 线型灯

扶手:无

地板: PVC (可选岩板) Ceiling: Artistic steel plate with wheat-dot cloth pattern. champagne gold hairline stainless steel, linear lamp Car wall: Artistic steel plate with wheat - dot cloth pattern, fabric steel plate, black titanium mirror decorative strip,

linear lamp Handrail: None Floor: PVC (optional rock plate)





HE-V036

吊顶:木质吊顶, LED 筒灯 轿壁: 木饰面造型, 艺术玻璃, 香槟金镜面不锈钢,暗藏灯带 扶手:无

地 板: 标配岩板 (选配 PVC 和 大理石)

Ceiling:Wooden ceiling, LED downlight

Car wall:Wood surface model, art glass, champagne gold mirror stainless steel, hidden light band Handrail:None Floor:Standard rock plate (optional PVC and marble)





HE-V037

吊顶:钢板烤漆,古铜不锈钢圈边, 暗藏灯带, LED 筒灯 轿壁:古铜发纹不锈钢,镜面不锈钢, LED XT

扶手:无

地板:标配 PVC, 选配岩板 / 大理石

Ceiling:Steel plate baked enamel, bronze stainless steel rim, hidden light band, LED downlight Car wall:Bronze hairline stainless steel, mirror stainless steel, LED light Handrail:None Floor:Standard PVC optional rock slab/marble





HE-V038

吊顶:白色烤漆钢板,LED灯带 轿壁: 古铜镜面不锈钢, 艺术玻璃, 灯带, 古铜色不锈钢, 化妆钢板

轿门: 古铜色喷砂抗指纹不锈钢 (洗配)

扶手:无

地板: PVC (可选大理石)

Ceiling: White baked enamel steel plate, LED light strip Car wall: Bronze mirror stainless steel, art glass, lamp strip, bronze stainless steel, cosmetic plate Car door: Bronze sandblasted

fingerprint resistant stainless steel (optional)

Handrail: None

Floor: PVC (optional marble)





HE-V039

吊顶: 叠影顶

轿壁: 镜面不锈钢, 化牧钢板,

灯带

扶手:无

地板: PVC (可选岩板)

Ceiling: Stacked shadow ceiling Car wall: Mirror - finished

stainless steel.

decorative steel plate, light

Floor: PVC (Rock panel is

Handrail: None

optional)



HE-V040

吊顶: 白色烤漆吊顶, 木质框架, 亚克力透光板

轿壁:木饰面,香槟金发纹不锈钢,

白色哑光阴革, 暗藏灯带 扶手: 无

地板: 仿古实木拼接地板

Ceiling: White baked enamel ceiling, wood frame, acrylic light - emitting panel Car wall: Wood decoration, champagne gold hairline stainless steel, white matte

leather, hidden lamp Handrail: None

Floor: Antique solid wood parquet floor





ELEVATOR DECORATION



HE-V041

吊顶:烤漆钢板框架,暗藏灯带, LED 筒灯

后壁: 木纹化妆钢板, 黑色装饰条侧壁: 木纹化妆钢板, 黑色装饰条

扶手: 钛金不锈钢圆扶手

地板: PVC 地板

Ceiling: Pointed steel plate frame, concealed light strip, LED

downlight

Rear wall: Wood grain cosmetic steel plate, black decorative strip Side wall: Wood grain cosmetic steel plate, black decorative strip Handrail: Titanium gold stainless steel round armrest Floor: PVC floor



720° Cabin Vie



HE-V042

吊顶:黑钛镜面水波纹不锈钢,

暗藏灯带

轿壁:岩板,黑钛拉丝(含黑色装饰条),暗藏灯带,黑钛镜面

扶手: 无

地板: PVC (可选大理石)

Ceiling: Black titanium mirror

water ripple

stainless steel, hidden light band Car wall: Rock panel, black titanium filament (including black decorative strip), hidden light strip, black titanium mirror Handrail: None

Floor: PVC (optional marble)



720° Cabin Vie



HE-V045

吊顶: 叠影顶

轿壁:大理石,装饰画, 黑钛镜面不锈钢, 黑钛发纹不锈钢

扶手:嵌入式扶手暗藏灯带 地板:标配岩板(洗配 PVC 和

大理石)

Ceiling:Fold - over ceiling
Car wall:Marble, decorative
painting, black titanium mirror s
tainless steel, black
titanium hairline stainless steel
Handrail:Embedded armrest
hidden light strip

hidden light strip Floor:Standard rock plate (optional PVC and marble)



720° Cabin View



HE-V046

吊顶: 古铜色不锈钢, 亚克力透光板 轿壁: 艺术玻璃, 古铜色发纹不锈钢, 古铜色镜面不锈钢 地板: PVC

Ceiling: Bronze stainless steel, acrylic transparent plate Car wall: Art glass, bronze hairline stainless steel, bronze mirror stainless steel

stainless steel Floor: PVC



720° Cabin Vi



HE-V043

吊顶:白色烤漆钢板,暗藏灯带, LED筒灯,黑色装饰条

后壁:岩板,黑钛发纹不锈钢边框 侧壁:黑钛发纹不锈钢边框,

钢化玻璃

扶手: 钛金+木纹圆扶手

地板: PVC 地板

Ceiling: White painted steel plate, concealed light strip, LED downlight, black decorative strip Rear wall: Rock slab, black

titanium hairline stainless steel

Side wall: Black titanium hairline

stainless steel frame, tempered glass

Handrail: Titanium+wood grain round armrest Floor: PVC floor



720° Cabin Vie



HE-V044

吊顶:黑钛金镜面不锈钢, 亚克力透光板,LED灯

五克力透光板,LED 灯带, 后壁:长发丝黑钛,LED 灯带,

黑钛镜面 侧壁:黑钛镜面,长发丝黑钛

扶手:无

妖子, 儿

地板: PVC 地板

Ceiling: Black titanium mirror stainless steel, acrylic transparent

plate, LED lighting Rear wall: Long hair black

titanium, LED light belt, black

titanium mirror Side wall: Black titanium mirror, long hair black titanium

Handrail: None Floor: PVC floor



720° Cabin View



HE-V047

吊顶: 香槟金镜面水波纹,

暗藏灯带 轿壁:钢化玻璃, 香槟金发纹不锈钢

扶手: 香槟金不锈钢扁扶手

地板: PVC

Ceiling: Champagne gold mirror water ripple, hidden lamp Car wall: Tempered glass,

champagne

gold hairline stainless steel Handrail: Champagne gold stainless steel

flat handrail Floor: PVC



720° Cabin View



HE-V048

吊顶: 炫彩琉璃吊顶, 铝合金边框

轿壁:紫灰磨砂色铝合金边框,

钢化夹胶玻璃 扶手:无

地板: PVC (可选岩板) Ceiling: Colorful glazed

ceiling, aluminum alloy frame Car wall: Purple - gray frosted aluminum alloy frame, tempered laminated glass


Handrail: None Floor: PVC

(rock panel is optional)



720° Cabin V

CEILING SERIES



VI-D004

Optional



VI-D007 Optional



VI-D010 Optional



VI-D002 Optional



VI-D005 Optional



VI-D008 Optional




VI-D011 Optional





VI-D006 Optional



VI-D009 Optional



VI-D012 Optional

HANDRAI SERIES



VI-F001 Optional



VI-F004 Optional



VI-F002 Optional



VI-F005 Optional




VI-F003 Optional



VI-F006 Optional


FLOOR SERIES



VI-DB001 Optional

VI-DB006

Optional



VI-DB002 Optional

VI-DB007

Optional



VI-DB003 Optional




VI-DB004 Optional





VI-DB008 Optional



VI-DB009 Optional



Optional

VI-DB010 Optional

STAIRCASE POSITION DISPLAY



VI-C006 Optional



VI-C007 Optional



VI-C008 Optional



VI-C009 Optional

Optional



VI-C010 Optional



VI-C011 Optional



Optional



VI-C013 Optional



VI-C014 Optional



VI-C015 Optional



Optional





VI-C018 Optional



SLIDE-WAY WITH NOVEL DESIGN

Double section-material special-purpose slide-ways are of unique design. It connects with running through door slider. It strengthens the smooth elevator door opening. It also reduces door-plank gap. It is convenient for adjustment.

THE SAFETY AND STABILITY OF SILENCE



Window type (up / down straight-opening)

Dumbwaiter elevator provides small freight elevators in various buildings with the prompt, economical and convenient vertical transport. It greatly saves time and labor resources. It is widely applicable for delivering food and drinks, dining ware, daily commodities etc. in the hotel, restaurant, bank, hospital and so on.

TRICH SPECIFICATIONS AND MODELS



Ground type (up / down straight-opening)


Load range: 100kg-300kg.Door modes can be divided into window sill type which is convenient for direct entry/exit of the goods and floor type which is easy for goods cart.

ESCALATOR



MOVING WALK

MAGLIVE moving walk satisfies the transport problem of huge passenger flow. It meets the requirements of long-distance walk, delivery of baby's cart; shopping cart; vehicle for disabled etc. People especially feel as easily as walking on firm earth during up / down shopping travel. It is greatly convenient for people's outing and shopping. It becomes the first-choice solution plan in various large-size supermarkets, airport, exhibition center, transport change-over station.








COMPACT STRUCTURE

Fish-belly beam style short tread greatly reduces space span. It saves the precious building space for broad customers.


ENERGY-SAVING RUNNING MODE

It can apply variable frequency control or self-starting mode to fulfill energy-saving.






THE FOLLOWING ARRANGEMENTS ARE POSSIBLE:




Single unit

The single unit is used to link two levels. it is suitable for buildings with passenger traffic flowing mainly in one direction. Flexible adjustment to traffic flow(e.g.,up in the morning and down in the evening) is possi-




Continuous arrangement (one-way traffic)

This arrangement is used mainly in smaller department stores to link three sales levels. It requires more space than the interrupted arrangement.




Interrupted arrangement (one-way traffic)

This arrangement is somewhat inconvenient for users, but advantageous for department store owners, since the short detour to the next unit and the spatial separation between up and down travel is ideal for leading customers past strategically placed advertising displays.



Parallel, interrupted arrangement (two-way traffic)


This arrangement is used mainly in department stores and pubic transport buildings with a heavy traffic volume, when there are three or more escalators, it should be possible to reverse the traveling direction according to the traffic flow, this arrangement is economical, since no inner lateral claddings are required.





Crisscross, continuous arrangement (two-way traffic)

This arrangement is used mainly in major department stores, public buildings and public transport buildings where transport times between several levels should be kept to a minimum.

MINI MACHINE ROOM PASSENGER—PE001 ELEVATOR CONSTRUCTION LAYOUT










	Constitution	S	Cabin size	Door size		Shaft size		Machine roo	om size
Passengers	Capacity	Speed	CW×CD	DW×DH	SW×SD	ОН	PD	MRW×MRD	MRH
2004	600-000	1	11 SECRETORISMONT TRIVERS	790.04970.00070.00070	19450-00000000000000000000000000000000000	4300	1400	1900×1750	267 (121
8	630	1.5	1400×1100	800×2100	1900×1750	4400	1500		2500
		1.75	9			4500	1600		
		1			1900×2000	4300	1400		
10	800	1.5	1400×1350	800×2100		4400	1500	1,000,40000	2500
10	800	1.75	1400 × 1330	800 × 2100	1900 \ 2000	4500	1600	1900×2000	250
		2				4800	1700		
		1				4300	1400		
	1000	1.5	100011500	0001/2100	2100×2200	4400	1500	21002/2200	2500
13	1000	1.75	1600×1500	900×2100	2100 × 2200	4500	1600	2100×2200	
		2				4800	1700		
		1				4300	1400		
	1150	1150 1.5 1600×1600 900×21	0000100	0100110000	4400	1500		250	
15	1150		1600×1600	900×2100	2100×2300	4500	1600	2100×2300	250
		2	1			4700	1700		
		1				4300	1400		
		1.5				4400	1500	2300×2350	
16	1250	1.75	1800×1600	1000×2100	2300×2350	4500	1600		250
		2	1			4700	1700	1	
		1	3			4300	1400		
		1.5		*****		4400	1500		
18	1350	1.75	1900×1600	1100×2100	2500×2350	4500	1600	2500×2350	250
		2	1			4800	1700	1	
		1	3			4300	1400		
		1.5		*****		4400	1500	T	2500
21	1600	1.75	1900×1800	1100×2100	2500×2550	4500	1600	2500×2550	
		2	1			4800	1700		

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

MACHINE ROOMLESS PASSENGER—PEN001 ELEVATOR CONSTRUCTION LAYOUT








goodstate.		40.00	Cabin size	Door size		Shaft size	
Passengers	Capacity	Speed	CW×CD	DW×DH	SW×SD	ОН	PD
		1				4300	1600
8	630	1.5	1100×1400	800×2100	2000×1900	4400	1600
	0.000	1.75		0.6745170.566517.433	Carried Control of Control	4500	1700
		1				4300	1600
10	800	1.5	1400 × 1350	000 × 2100	2200 × 1000	4400	1600
10	800	1.75	1400×1350	800×2100	2200×1900	4500	1700
		2				4600	1800
		1				4300	1600
12	1000	1.5	1600×1500	000 × 2100	2400×2000	4400	1600
13	1000	1.75	1600 × 1500	900×2100	2400 × 2000	4500	1700
		2				4600	1800
	A. 1975-61-5	1	S 9000000 CO000		560-5000 5600-50	4300	1600
15	1150	1.5	1600×1600	900×2100	2550×2150	4400	1600
10000	53,825,06	1.75		1868-86600100001	17380998 886099	4500	1700
		1				4300	1600
16	1250	1.5	1600×1700	1000×2100	2600×2200	4400	1600
_		1.75				4500	1700
		1	e e			4300	1600
18	1350	1.5	1600×1900	1000×2100	2600×2300	4400	1600
Addation	CS0490 (B) CS-	1.75	. Acceptation (5) of the constraint of the	5-0348-300-03-0400-300-0	1080-04030-10450-10505	4500	1700
	V-10-3-0000000	1	C. STREETS-AND PROVING		000000000000000000000000000000000000000	4300	1600
21	1600	1.5	1800×1900	1100×2100	2800×2400	4400	1600
		1.75				4500	1700


The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

HOME ELEVATOR—VE001 CONSTRUCTION SKETCH

Lifting hook load-bearing 1500kg (be paid by user)

Note: Lifting hook can not be extended to top-floor net-height space.






Well layout chart


Vertical view of well side

Model	Load KG	Passenger NO.	Speed m/s	Car specification CWxCD	Door opening size	Well size HWxHD	Pit depth Pit	Top floor height OH	Power	Door opening mode
VE001/320/0.4	320	4		900×1150		1800×1500	500		0.9	Center opening Side opening
VE002/320/0.4	400	5		900×1200	000.0000	1800×1600		2400 4000	1.1	
VE003/320/0.4	320	4	0.4~1.0	900×1150	800x2000	1600×1500		3100-4200	0.9	
VE004/320/0.4	400	5		900×1200		1600×1600			1.1	


The data is for design reference only. Regarding detailed parameters, please take technical drawing as criterion. Note: If specification exceeds above range, please contact SINO HYUNDAI.

STRETCHER ELEVATOR—HE001 CONSTRUCTION SKETCH





MACHINE ROOM PLANE LAYOUT





HOISTWAY PLANE LAYOUT


(kg)	Speed	Hoistway size(mm)	Machine room size(mm)	Car dimension(mm)	Door-opening size(mm)	Overhead	Pit depth
Rated capacity	Speed (m/s)	(HWxHD)mm	MR.WxMR.DxMR.H	(CWxCD)mm	Door net opening	Overhead height (OH)	Pit depth (PD)
1	1.0	S2 111 KG 11		0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0		4500	1500
	1.5	2200x2500	2200x4000			4600	1600
1000	1.75	2200X2500	2200x4000	1100x2100	900	4700	1700
	2.0					4900	2000
	2.5	2200x2600	2200x4000			5500	2500

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

PANORAMIC ELEVATOR CONSTRUCTION LAYOUT—PR001










			Cabin size	Door size		Shaft size		Machine ro	om size
Passengers	Capacity	Speed	CW×CD	DW×DH	SW×SD	ОН	PD	MRW×MRD	MRH
		1	1			4600	1800		
8	630	1.5	1100×1560	800×2100	2150×2200	4700	1900	2150×2200	2500
		1.75				5000	2000		
		1				4600	1800		2500
10	800	1.5	1200 × 1740	800×2100	2200 × 2250	4700	1900	2200×2350	
10	800	1.75	1200×1740	800 × 2100	2200×2350	5000	2000		
		2				5000	2100		
		1				4600	1800		
	1000	1.5	12001/1020	000112100	2250142550	4700	1900	2250142550	2500
13	1000	1.75	1300×1930	900×2100	2350×2550	5000	2000	2350×2550	
		2				5000	2100		
		1	2			4600	1800	2450×2600	2500
	****	1.5	1	0001/0100	2450×2600	4700	1900		
15	1150	1.75	1400×2000	900×2100		5000	2000		
		2				5000	2100		
		1				4600	1800		
		1.5		10000100	(222223022222	4700	1900	1	02200
16	1250	1.75	1450×2050	1000×2100	2500×2600	5000	2000	2500×2600	2500
		2		5000 2100					
		1				4600	1800		
		1.5	1500110100	1000110155	0550140555	4700	1900	0550140655	0555
18	1350	1.75	1500×2100	1000×2100	2550×2650	5000	2000	2550×2650	2500
		2	1			5000	2100		

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

SMALL MACHINE ROOM FREIGHT ELEVATOR CONSTRUCTION LAYOUT—FE001








	20000	Cabin size	Door size		Shaft size		Machine ro	om size
Capacity	Speed	CW×CD	DW×DH	SW×SD	ОН	PD	MRW×MRD	MRH
1000	1	1400×1700	1200×2100(旁开双折)	2200×2100	4500	1500	2200×2100	2500
2000	1	1900×2200	1600×2100(旁开双折)	2850×2600	4500	1500	2850×2600	2500
3000	0.5	2100×2700	1800×2100(旁开双折)	3150×3100	4500	1500	3150×3100	2500
5000	0.5	2600×3400	2200×2100(中分双折)	3900×3800	4500	1500	3900×3800	2500

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

DUMBWAITER CONSTRUCTION LAYOUT



			Side C.W.	Rear C.W.	2		Î
Capacity	Туре	Cabin size	Shaft size (D×E) (mm)	Shaft size (D×E) (mm)	Pit depth Q/H (mm)	Overhead (mm)	Door opening (F×G)
100	工作台 Window type	600×600×800	1200×900	1050×1050		≥3000	800×1000
100	工作台 Window type	600×700×800	1200×1000	1050×1150		≥3000	800×1000
100	工作台 Window type	700×700×800	1300×1000	1150×1150	-	≥3000	900×1000
100	工作台 Window type	700×800×800	1300×1100	1150×1250	(#0)	≥3000	900×1000
200	工作台 Window type	700×800×800	1300×1100	1150×1250	•	≥3000	900×1000
200	工作台 Window type	800×800×900	1400×1100	1250×1250	(%)	≥3200	1000×1100
200	工作台 Window type	800×900×1000	1400×1200	1250×1350	(#3)	≥3300	1000×1200
200	地平式 Floor type	900×900×1000	1500×1200	1350×1350	800	≥3300	1100×1200
200	地平式 Floor type	700×1000×1000	1300×1300	1150×1450	1000	≥3400	900×1200
250	地平式 Floor type	900×1000×1000	1500×1300	1350×1450	1000	≥3600	1100×1200
300	地平式 Floor type	1000×1000×1200	1600×1400	1450×1450	1000	≥3600	1200×1400

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

THREE SAFETY PARTS





SPEED LIMITER




BUFFER

SAFETY GEAR

If elevator exceeds standard speed limit, speed governor acts and cuts off safety loop to ensure elevator stop. If elevator exceeds standard speed, safety tongs acts through linkage of speed governor. It thus ensures elevator safety brake. It applies hydraulic buffer. It can absorb elevator abnormal impact energy to maximum degree. It thus guarantees safety of vast passengers.

ESCALATOR—SE001 **CONSTRUCTION LAYOUT**



STANDARD SPECIFICATIONS AND DIMENSIONS


Step width	A	600	800	1000	
Exterior width	В	1140	1340	1540	
Constryction opening	С	1200	1400	1600	
Handrail center distance	D	838	1038	1238	
Floor slab opening	E	1838	2038	2238	
Supporting length	1	1140	1340	1540	
	Inclination a	30°		35°	
	а	2198		2242	
	b	1.732×H		1.428×H	
Travel height	С	2567		2663	
H≤6 m(H小于等于6 m)	d	4100		4300	
10.5% 55. 15%	е	4000+1.732×5		3300+1.428×5	
	H1	no N/A		no N/A	
	L1	no N/A		no N/A	
	Inclination α		30°		
	a		2688	1	
	b		1.732>	(H	
Travel height	С		3057		
6 米 < H≤9米	d		4900)	
(6 m < H≤9 m)	е	4000+1.732×S		32×S	
	H1	Depend o	on the constr	uction drawing	
	L1	Depend on the construction drawing			

Model	SE001		
Escalator speed	0.5 m/s		
Inclination α	30°	35	
Travel height	н		
Length of span	HL=a+b+c		

TECHNICAL DESCRIPTION

- The unit is mm, installed in indoor. The layout drawing is suitable for the construction which the height is under 9 m with speed 0.5 m/s.
- 2. If the step width is 600 mm, 417 mm should be extended at the upper of the truss.
- 3. If the rise is more than 7.8 m, 417 mm should be extended at the upper of the truss.
- 4. Power supply with 3 phase 380V 50 Hz. 5. When the L > 15 m, one supporting is required at the center.
- When installed at second floor or above, then no need for pit, the construction of lower entrance is symmetrical to the upper entrance.
- There should be free area at the entrance with width more than 1238 mm and depth more than 2500 from the handrall turning point.
- 8. The distance from the center line for the handrail to the obstacle should be more than 500 mm, if not, the user has to fix a vertical protection plate without sharp edge above the handrail.

MOVING WAYS-SV001 CONSTRUCTION LAYOUT



TECHNICAL PARAMETERS

Model	SV001
Speed	0.5 m/s
Inclination α	12°
Travel height	н
Length of span	L=H×4.7046+3200

TECHNICAL DESCRIPTION

- The unit is mm. The layout drawing is suitable for the construction which the height is under 6 m with speed 0.5 m/s.
- If with double drive, 417 mm should be extended at the upper of the truss.
- 3. Power supply with 3 phase 380 V 50 Hz.
- When installed at second floor or above, then no need for pit, the 4. construction of lower entrance is symmetrical to the upper entrance.
- 5. There should be free area at the entrance with width more than 1238 mm and depth more than 2500 from the handrail turning
- The distance from the center line for the handrail to the obstacle should be more than 500 mm, if not, the user has to fix a vertical protection plate without sharp edge above the handrail.

STANDARD SPECIFICATIONS AND DIMENSIONS

step width A			Handrail center distance B	Exterior with C	Construction opening D	Floor opening E	Supporting length F		
	800		1000	1400 1460		2100	1400		
	1000		1288	1600	1660	2310	1600		
nclination	Travel	height	Intermediate support	La	Lb	Н1			
nemation	From	To	R3						
	1061	2508	92		2 (25		
12°	1000 5695		1000 5695		1	L/2	L/2	H-(La×0	.2126+545)
	5696 6000		1	L/3	L/3	H-(La×0	0.2126+545)		



INTELLECTUAL WEB OF THINGS SPEEDS UP THE SERVICES FOR YOU

It matches with the advanced Web of Things technology,UNICOM 5G times. It makes real-time collection to the elevator running data. Through non-normal data analysis from micro-processor,it grasps the dynamic information of running condition for each elevator. It is a comprehensive elevator management platform that fulfills positive trouble detection,trouble prompt,quality appraisal,multi-media transmission functions etc.It easily safeguards millions of elevators for you.

SKILLED MAINTENANCE TEAM

They are rich in experience and advanced in craft &tech. They are considerate to the clients' requirements and provide the clients with wholehearted service.

MAKE PLAN

PROFESSIONAL SERVICES

R TECHNICAL TEAM

MAINTAIN DATA QUERIES